Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

CALVIN C. REED, LT., U. S. N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
PACIFIC Fleet,
_____ Naval District,

Commencing 0001, 1 July (zone time and date), 19 62 ,

at Pearl Harbor, Hawaii (location),

and ending 2400, 30 July (zone time and date), 19 62 ,

at ADAK, ALASKA (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____, 19____
(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 1 (Date) JULY (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	010	4	6	SCT	30.02	77	74	3	1050	CU			
02	010	4	6	SCT	30.02	77	74	3	1050	CU			
03	010	3	6	SCT	30.00	78	75	3	1050	CU			
04	015	3	6	SCT	30.00	78	74	3	1400	CU			
05	015	3	6	SCT	30.00	76	73	4	1050	CU			
06	015	1	6	SCT	30.00	75	70	4	1750	CU			
07	080	2	7	SCT	30.00	78	73	5	1750	CU			
08	080	2	7	SCT	30.00	80	75	5	1750	CU			
09	085	3	7	SCT	30.00	83	75	5	8800	AC			
10	085	3	7	SCT	30.01	83	75	4	8800	AC			
11	085	3	7	SCT	30.01	83	75	4	8800	AC			
12	085	3	7	SCT	30.00	86	74	4	8800	AC			
13	030	3	7	SCT	30.00	86	74	4	8800	AC			
14	010	3	7	SCT	30.00	88	75	5	4550	CC			
15	060	4	7	SCT	30.00	90	75	5	5850	CI			
16	070	4	7	BKN	30.00	89	74	6	5850	CI			
17	070	4	7	BKN	30.00	87	72	6	5350	CI			
18	075	3	7	BKN	29.98	83	74	6	8800	CC			
19	080	4	7	BKN	29.98	80	72	6	8800	AC			
20	080	4	7	BKN	29.98	80	72	6	8800	AC			
21	080	4	6	BKN	29.99	78	70	6	8800	AC			
22	075	3	6	SCT	29.99	77	70	6	8450	AC			
23	075	4	6	SCT	30.00	76	70	6	8400	CU			
24	075	4	6	BKN	30.01	76	70	6	8400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

179

REMARKS

00-04 Moored Port Side To Berth Sierra Seventeen (S-17) U.S Submarine Base Pearl Harbor Hawaii With Four Standard Mooring Lines, Doubled. Recieving Fresh Water And Electrical Power And Telephone Services From Pier. Ships Present Include Various Units of US Pacific Fleet, District And Yard Small Craft. SOPA is CinC Pac Flt. Condition Yoke Set Second Deck And Below.

Leslie E. Horton
Ens USN

04-08 Moored As Before.

Leslie E. Horton
Ens USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 1 (Date) July (Month), 1962

ØØ-12: MOORED AS BEFORE. ØØØ5 MUSTERED DUTY SECTION ON STATIONS; ABSENTEES NONE. 1125 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. E. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H. E. Swan, ENS, USNR

16-2Ø: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H. E. Swan, ENS, USNR

2Ø-24: MOORED AS BEFORE.

H. E. Swan, ENS, USNR.

APPROVED

LCDR U. S. N. COMMANDING

EXAMINED:

R. L. Walker LT/G U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 2 (Date) July (Month), 1962

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	080	3	6	BKN	30.00	77	70	6	2450	AC			
02	080	3	6	BKN	30.01	76	70	6	2100	AC			
03	080	4	6	BKN	30.01	77	70	6	2450	AC			
04	085	4	6	BKN	30.00	76	70	7	2100	AC			
05	085	4	6	BKN	30.00	75	70	7	1750	CU			
06	080	4	6	BKN	29.99	75	70	7	1750	CU			
07	050	11	7	BKN	29.97	78	71	7	2450	AC			
08	050	8	7	BKN	29.97	79	72	7	2450	AC			
09	050	6	7	BKN	29.97	81	73	7	2800	AC			
10	040	5	7	BKN	30.00	81	75	6	2100	AC			
11	030	5	7	BKN	30.00	81	75	6	2100	AC			
12	035	5	7	BKN	29.96	84	77	6	2450	AC			
13	035	6	7	BKN	29.94	87	78	6	3150	AC			
14	035	6	7	BKN	29.94	90	79	6	3850	CS			
15	035	7	7	SCT	29.96	93	80	5	4550	CI			
16	035	7	7	SCT	29.99	90	78	5	4200	CI			
17	040	6	7	SCT	30.02	90	78	3	4200	CI			
18	040	4	7	SCT	30.02	87	77	3	3500	CI			
19	045	4	7	SCT	30.01	80	73	3	2450	CS			
20	045	4	7	SCT	30.02	79	73	2	2100	AC			
21	045	2	6	SCT	29.99	78	73	2	1750	AC			
22	045	1	6	SCT	29.99	77	73	2	1400	AC			
23	045	1	6	SCT	29.99	77	73	2	1400	AC			
24	045	2	6	SCT	29.99	77	73	2	1400	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
88

REMARKS

ØØ-Ø4: MOORED PORT SIDE TO BERTH SIERRA-SEVENTEEN (S-17), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H K Lawson ENS, USNR

Ø4-Ø8: MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H K Lawson, ENS, USNR

APPROVED

LCDR U. S. N. COMMANDING

EXAMINED:

R. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 2 (Date) July (Month), 1962

08-12. Moored as before. 0913 Made daily inspection of magazine and smokeless power samples, conditions normal.

J.E. Hoffey CWO USN.

17-16. Moored as before.

J.E. Hoffey CWO USN.

16-20 Moored as before. 1800 Act material condition "Yoke" second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: [signature] Lt JG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Tuesday (Day) 3 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	5	6	SCT	30.00	76	73	3	1050	CU			
02	075	5	6	SCT	29.99	76	73	3	1050	CU			
03	075	5	6	SCT	29.98	77	74	3	1050	CU			
04	075	3	6	BKN	29.97	77	74	6	1050	CU			
05	080	2	6	BKN	29.96	76	73	7	1050	CU			
06	075	2	6	BKN	29.97	76	73	6	1050	CU			
07	060	3	7	BKN	29.97	77	73	6	1050	CU			
08	060	3	7	BKN	29.98	78	74	6	1400	CU			
09	070	3	7	BKN	29.98	78	74	6	1400	CU			
10	070	3	7	BKN	29.98	78	74	6	1400	CU			
11	075	5	7	BKN	29.99	79	75	6	1400	CU			
12	075	5	7	BKN	29.97	81	75	6	2100	CU			
13	065	4	7	BKN	29.96	83	75	6	2800	AC			
14	060	5	7	BKN	29.95	85	75	6	3500	AC			
15	050	12	7	BKN	29.95	87	76	6	3850	CC			
16	050	9	7	SCT	29.95	89	75	4	5250	CC			
17	050	7	7	SCT	29.94	88	75	4	4550	CI			
18	050	5	7	SCT	29.94	88	75	2	4550	CI			
19	050	5	7	SCT	29.94	80	75	2	1750	AC			
20	055	8	6	SCT	29.96	80	74	2	2100	AC			
21	055	8	6	SCT	29.98	80	74	2	2100	AC			
22	050	5	6	SCT	29.99	80	74	2	2100	AC			
23	060	5	6	SCT	29.99	80	74	2	2100	AC			
24	060	3	6	SCT	29.99	80	74	2	2100	AC			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
238

REMARKS

00-04. Moored Port Side to Berth Sierra Seventeen (S-17) at U.S. Naval Submarine Base Pearl Harbor, Hawaii with four standard mooring line doubled up. Receiving miscellaneous service from its pier. Material condition Yoke set second deck and below. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPA is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey, CWO USN

04-08. Moored as before. 0750 Mustered crew at Quarter for muster and inspection; absentee none;

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: J. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 3 (Date) July (Month), 1962

08-12 Moored as before. 1000 Made daily inspection of magazine and ammunition powder sample. Conditions: normal.

R. L. Walker
LTJG, USN

12-16 Moored as before.

R. L. Walker
LTJG USN

16-20 Moored as before. 1800 Set Condition Yoke second deck and below.

R. L. Walker
LTJG USN

20-24 Moored as before.

R. L. Walker
LTJG USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 4 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	4	6	SCT	29.99	79	74	2	1750	SC			
02	060	4	6	SCT	29.99	79	74	2	1750	SC			
03	065	5	6	SCT	29.98	78	74	3	1400	SC			
04	065	4	6	SCT	29.97	78	73	4	1750	SC			
05	055	6	6	SCT	29.97	78	73	5	1750	SC			
06	050	7	6	BKN	29.99	79	73	6	2200	CU			
07	040	6	7	BKN	29.99	80	74	7	2100	CU			
08	040	5	7	BKN	30.01	82	75	7	2450	AC			
09	040	5	7	SCT	30.00	82	75	5	2450	AC			
10	040	5	7	SCT	30.01	81	74	5	2450	AC			
11	060	7	7	SCT	30.02	83	75	4	2450	AC			
12	065	9	7	SCT	30.03	84	75	3	3150	AC			
13	065	9	7	SCT	30.04	87	77	3	3500	CC			
14	060	8	7	SCT	30.03	88	78	2	3500	CC			
15	055	9	7	SCT	30.01	88	78	2	3500	CI			
16	055	7	7	SCT	30.01	87	76	3	3850	CI			
17	045	5	7	SCT	30.00	85	75	4	3500	CI			
18	045	5	7	BKN	29.97	83	74	6	3150	CC			
19	040	4	7	BKN	29.97	80	74	6	2100	AC			
20	040	3	7	BKN	29.98	80	73	6	2450	AC			
21	045	3	6	BKN	29.98	79	73	6	2100	AC			
22	050	2	6	SCT	29.98	79	74	5	1750	CU			
23	050	3	6	SCT	29.99	79	74	4	1750	CU			
24	055	3	6	SCT	30.00	78	73	3	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

994

REMARKS

00-04 Moored port side to pier berth S-17, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. Material Condition Yoke in effect second deck and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is CinC Pac Flt.

R. L. Walker
LTJG USN

04-08 Moored as before.

R. L. Walker
LTJG USN

APPROVED: [signature] CDR U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 4 (Date) July (Month), 19 62

0800 Moored As Before. 0800 Mustered Crew On Stations - Absentees None. 1047 Made Daily Inspection of Magizines And Smokless Powder Samples - Condition Normal.

Leslie E Harlow
Ens. USN.

1200 Moored As Before.

Leslie E. Harlow
Ens - USN

1600 Moored As Before. 1800 Set Condition Yoke. Second Deck And Below.

Leslie E Harlow
Ens. USN

2000 Moored As Before.

Leslie E. Harlow
Ens - USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: L. S. Walker Lt JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Thursday (Day) 5 (Date) July (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	3	6	SCT	30.00	78	73	3	1750	SC			
02	050	3	6	SCT	30.00	77	73	4	1400	SC			
03	050	2	6	SCT	30.01	77	72	5	1750	SC			
04	055	2	6	BKN	29.99	77	72	6	1750	SC			
05	050	4	6	BKN	29.97	77	73	6	1400	SC			
06	060	3	7	BKN	29.97	79	74	8	1750	SC			
07	070	5	7	BKN	29.96	79	74	8	1750	SC			
08	065	5	7	BKN	29.97	80	74	6	2100	CU			
09	065	4	7	SCT	29.99	83	75	5	2450	CU			
10	070	4	7	SCT	29.99	83	76	5	2450	CU			
11	090	6	7	SCT	30.00	85	76	3	3150	AC			
12	085	9	7	SCT	30.02	87	77	2	3500	CC			
13	075	9	7	CLR	30.04	89	78	1	3850	CC			
14	065	11	7	CLR	30.04	90	80	1	3500	CC			
15	060	9	7	SCT	30.03	91	80	2	3850	CI			
16	065	8	7	SCT	30.02	89	79	2	3500	CI			
17	055	6	7	SCT	30.02	87	76	4	3850	CI			
18	045	3	7	SCT	30.00	84	75	5	3150	CC			
19	045	5	7	BKN	29.98	83	75	6	2450	CC			
20	045	3	6	BKN	29.97	80	74	6	2100	AC			
21	040	2	6	BKN	29.97	78	74	6	1400	SC			
22	045	2	6	SCT	29.97	78	74	5	1400	SC			
23	045	2	6	SCT	29.97	78	73	3	1750	SC			
24	045	2	6	SCT	29.98	78	73	3	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L 20-59 N		BY 3
λ 157-39 W		BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
128.6

FUEL CONSUMED 0000-2400
1138

REMARKS

ØØ-Ø4 Moored Port Side To Serria Seventeen US Submarine Base Pearl Harbor. Hawaii With Four Standard Mooring Lines Doubled. Recieving Fresh Water, Electricial Power, And Telephone Service From The Pier Condition Yoke Set Second Deck And Below. Ships Present Include Various Units of US Pacific Fleet And Various District & Yard Craft. SOPA is CinCPac Flt.

Leslie C Horton
Ens USN

Ø4-Ø8 Moored As Before. Ø738 Commenced Shifting Berths To Sierra Seventeen. Ø75Ø Mustered Crew At Quarters; Absentees None.

Leslie C. Horton
Ens USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker Lt/G U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THORSDAY (Day) 5 (Date) JULY (Month), 1962

~~Ø8-12~~: MOORED AS BEFORE. ~~Ø8ØØ~~ SET SPECIAL SEA AND ANCHOR DETAIL. ~~Ø838~~ UNDERWAY IN ACCORDANCE WITH PORT CONTROL VERBAL ORDERS FOR BERTH WHISKEY-FIVE (W-5). CAPTAIN HAS THE CONN, NAVIGATOR ON THE BRIDGE. DRAFT FORWARD 14', AFT 16'. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. Ø930 MOORED STARBOARD SIDE TO YCV-17 AT BERTH WHISKEY-FWE (W-5) U.S. ~~NAVAL~~ NAVAL AMMUNITION DEPOT, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES. Ø935 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1038 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. A. Swan, ENS, USNR

12-16: MOORED AS BEFORE. 1325 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY 1330 COMMENCED LOADING AMMUNITION. 1340 COMPLETED LOADING AMMUNITION. TOOK ON 107 ROUNDS 3"50", 800 ROUNDS OF M5 CALIBER. 1343 SET SPECIAL SEA AND ANCHOR DETAIL. 1413 UNDERWAY IN ACCORDANCE WITH COMSERVPAC MSG. 120440Z. JUNE. TOWING YCV-17 BOUND FOR KAWAIHAE, HAWAII. CAPTAIN HAS THE CONN; NAVIGATOR ON THE BRIDGE. YTB-762 ASSISTING ALONGSIDE WITH TOW. STEERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH WEST LOCH CHANNEL. 1424 PASSED BOUY 7 ABEAM TO STARBOARD. DISTANCE 130 YDS. 1438 BOUY 13 ABEAM TO STARBOARD; DISTANCE 120 YDS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1508 PASSED BOUY 1 ABEAM TO STARBOARD; DISTANCE 140 YDS. 1512 C/C TO 140°. C/S TO 80 RPM. 1517 COMMENCED BLOWING TUBES. 1524 SECURED FROM BLOWING TUBES. 1528 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1529 TOW STREAMED TO 14000 FEET. 1532 ENTERED INTERNATIONAL WATERS. 1538 C/S TO 90 RPM (11.3 KNOTS) 1543 C/C TO 135°, C/S TO 95 RPM (11.8 KTS).

W. A. Swan, ENS, USNR

16-20: UNDERWAY AS BEFORE. 1628 C/C TO 130° 1805 C/S TO 65 RPM (8.3 KTS) 1816 HEAVED TOW IN TO 1000 FEET. 1822 C/S TO 85 RPM (10.8 KTS) 1827 C/C TO 125°.

W. A. Swan ENS, USNR

20-24: UNDERWAY AS BEFORE. 2119 C/S TO 65 RPM (8.3 KTS) STREAMED TOW TO 1400 FT. 2130 C/S TO 90 RPM (11.3 RPM) 2204 C/S TO 95 RPM (11.8 KTS) 2302 C/C TO 118°.

W. A. Swan ENS, USNR

APPROVED: J. [illegible] CDR U. S. N. COMMANDING

EXAMINED: C. L. Walker LT/G U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 6 (Date) JULY (Month), 19 62

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO KAHULUI, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	3	6	SCT	29.98	77	74	3	1050	SC			
02	045	2	6	SCT	29.98	77	74	3	1050	SC			
03	040	2	6	SCT	29.98	77	73	3	1400	SC			
04	045	3	6	SCT	29.99	78	73	3	1750	CU			
05	045	2	6	SCT	29.99	78	73	4	1750	CU			
06	050	1	7	SCT	29.98	79	74	4	1750	CU			
07	045	1	7	SCT	29.99	79	74	5	1750	CU			
08	050	2	7	SCT	30.00	79	75	5	1750	CU			
09	055	2	7	SCT	30.00	80	75	5	1750	CU			
10	050	2	7	SCT	30.01	81	75	4	2100	CU			
11	045	4	7	SCT	30.02	83	77	4	2100	AC			
12	045	5	7	SCT	30.02	84	77	4	2450	AC			
13	045	7	7	SCT	30.00	87	78	5	3150	AC			
14	040	6	7	SCT	29.99	87	78	5	3150	AC			
15	040	6	7	BKN	29.97	88	78	6	3500	AC			
16	045	8	7	BKN	29.96	88	78	6	3500	CC			
17	045	6	7	BKN	29.96	88	77	8	3850	CI			
18	045	5	7	BKN	29.97	85	76	8	3150	CI			
19	045	3	7	BKN	29.98	85	75	7	3500	CC			
20	045	3	6	BKN	29.98	82	74	6	2800	CC			
21	040	3	6	BKN	29.98	80	74	6	2100	AC			
22	040	2	6	BKN	29.99	79	74	6	1750	CU			
23	045	3	6	SCT	30.01	79	75	5	1400	CU			
24	045	3	6	SCT	30.01	79	75	4	1400	SC			

POSITION	ZONE	TIME
0800 L 20-22 N		BY 3
λ 156-33 W		BY 3
1200 L 20-15 N		BY 3
λ 156-00 W		BY 3
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 194.8

FUEL CONSUMED 0000-2400: 1246

REMARKS

00-04: UNDERWAY AND STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO KAWAIHAE, HAWAII IN ACCORDANCE WITH COMSERVPAC MSG 120404Z JUNE. ON COURSE 118° SPEED 11.8 KTS (95 RPM). YCV-17 IN TOW, 1400 FEET OF WIRE STREAMED, TOW IN STEP. MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP. 0139 SIGHTED PALAOA LIGHT BEARING 081° DISTANCE 13.5 MILES. 0209 C/C TO 120°. 0320 PASSED PALAOA LIGHT ABEAM TO PORT, DISTANCE 3½ MILES.

H. J. [illegible], ENS, USNR

04-08: UNDERWAY AS BEFORE. 0417 SIGHTED KAHOOLAWE LIGHT: BEARING 107½°, DISTANCE 13 MILES. 0604 PASSED KAHOOLAWE LIGHT ABEAM TO PORT, DISTANCE 3.4 MILES. 0650 C/C TO 114°. 0704 C/C TO 100°. 0750 MUSTERED CREW ON STATIONS; ABSENTEES NONE.

H. [illegible], ENS, USNR

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: [signature] 1436 U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 6 (Date) July (Month), 1962

08-12. Underway as before. 0850 C/C 110°PGC. 099° PSTGC 0912 Made daily inspection of magazine and smoke powder samples; Condition normal. Made weekly test of magazine sprinkling and flooding system; Condition satisfactory. 0930 C/C 115°T. 1042 C/C 119°T.

J.E. Hoffey CWO USN.

12-16. Underway as before. 1256 C/C 120°T. 1330 Sighted Kawaihae Lt Bearing 110° T distance 15 miles. 1358 C/C 117° T. 1419 C/C 120° T. 1422 C/C 122° T. 1425. Captain Conning ship. 1426 C/C 124° T. 1427 C/C 75 RPM 9.5 kts. 1429 C/S 60 RPM. 7.7 kts. 1430 C/S 70 RPM. Heaved tow in to 800 feet. 1431 C/C 126° T. 1433 C/C 130° T. Set special sea and towing detail. 1437 Heaved tow into 600 feet. 1449. Heaved tow into 400 feet. 1453 C/C 123° T. 1500 heaved tow into 200 feet. 1507 C/C 290° T. 1515 C/S 30 RPM. 1521 C/C 125° T. 1535 C/S 40 RPM C/C 300° T. 1550 C/S 30 RPM C/C 125° T.

J.E. Hoffey CWO USN.

16-20 Underway as before. 1605 C/C 290° T. 1619 C/S 40 RPM C/C 130° T. 1626 C/S 20 RPM. 1628 C/S 30 RPM, 1632 C/S 40 RPM C/C 290° T. 1707 C/C 115° T C/S 25 RPM. 1713. Pilot Came aboard H.H. Brown. 1716 C/C 290° T. 1724 Maneuvering at various speed and courses changes while jack knifing YCV-17 along side to starboard. 1732 Tow in moored along side. 1733 Smoking lamp out throughout the ship. 1742 C/S 25 RPM. 1744 C/C 113° T. 1745 C/S 35 RPMs 1749 114° T. 0751 C/C 118°. 1752. Maneuvering at various speeds and course changes while entering Kawaihae, Hawaii channel. 1759 Passed ~~buoy~~ No 2 abeam to Stbd approx 150 feet. 1804 Passed Buoy No 4 abeam to Stbd approx 200 ft. 1808 Passed buoy No 6 abeam to Stbd approx 150 ft. 1816 Let go Port anchor in 12 feet of water with 30 fathoms of Chain to the water edge. 1817 Maneuvering at various speed and courses changes while approaching pier. 1909. Moored YCV-17 Port side to Sugar Pier at Kawaihae, Hawaii with four, eight inch manila doubled up. 1911. Pilot H.H. Brown departed ship. 1915 Secured the special sea and towing detail. Set the in Port watch.

J.E. Hoffey CWO U.S.N.

20-24. Moored at before

J.E. Hoffey CWO U.S.N.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 7 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ KAWAIHAE, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	3	6	SCT	30.01	78	75	4	1050	SC			
02	045	3	6	SCT	30.02	78	75	4	1050	SC			
03	040	2	6	SCT	30.02	77	75	3	700	SC			
04	040	2	6	SCT	30.03	77	74	3	1050	SC			
05	045	3	6	SCT	30.03	77	74	4	1050	SC			
06	045	2	7	SCT	30.02	77	74	5	1050	SC			
07	040	2	7	BKN	30.02	77	74	6	1050	SC			
08	045	2	7	BKN	30.02	79	74	6	1750	CU			
09	050	4	7	BKN	30.01	80	75	7	1750	CU			
10	050	5	7	BKN	30.00	82	76	6	2100	CU			
11	055	5	7	SCT	30.00	82	75	4	2450	AC			
12	050	7	7	SCT	29.99	84	75	3	3150	AC			
13	040	7	7	SCT	29.98	86	76	3	3500	CC			
14	040	10	7	SCT	29.97	87	76	2	3850	CI			
15	040	9	7	SCT	29.97	89	77	3	4200	CI			
16	045	7	7	SCT	29.98	87	77	3	3500	CI			
17	045	5	7	SCT	29.98	86	76	5	3500	CC			
18	040	5	7	BKN	30.00	84	75	6	3150	AC			
19	040	3	7	BKN	30.01	83	75	6	2450	AC			
20	045	3	7	BKN	30.00	80	75	6	1750	CU			
21	050	3	7	SCT	30.00	79	74	5	1750	CU			
22	050	2	7	SCT	29.99	78	74	3	1400	CU			
23	045	3	7	SCT	29.99	78	74	3	1400	SC			
24	045	2	6	SCT	29.98	77	74	3	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L 20-14.4N		BY 3
λ 156-14W		BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 81.4

FUEL CONSUMED 0000-2400: 1369

REMARKS

00-04 Moored starboard side to YCV-17 at Sugar pier at Kawaihae, Hawaii with standard mooring lines (nylon) doubled up. 5 and 6 eight inch manila. YCV-17 moored Port side to pier with four eight inch manila doubled up. Main tow-lines attached to bridge. Port anchor out in 22 feet of water with 30 fathom of chain at the water edge. in sand bottom. Material Condition Yoke set second deck and below. Small Craft present included privately own vessels. SOPA is Commanding Officer.

J. A. Hoffey CWO U.S.N.

04-08. Moored as before

J. A. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: A. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 7 (Date) JULY (Month), 1962

08-12 Moored as before. 0804 Mustered the crew on stations. Absentees: none. 1604 Made daily inspection of magazines and smokeless powder samples. Conditions: normal.

G. L. Walker
LTJG USN

12-16 Moored as before. 1540 Mustered the crew on stations. Absentees: none. 1547 Stationed the special sea and anchor detail. 1552 W

G. L. Walker
LTJG USN

16-20 Moored as before 1618 Underway in accordance with ComServPac message 120404Z June. YCV-17 in tow. Maneuvering as required speed to clear berth and conform with Kaneohe harbor channel. 1635 Passed buoy number 1 abeam to starboard, range 75 yds. 1638 Commenced W paying out tow. 1652 Set base course 297° speed 6.7 kts. Secured the special sea and anchor detail. Set regular underway watch. 1700 Tow streamed to 1100' to the dog. 1732 Cs to 12.3 kts. 1804 Set material Yoke secured deck and below.

G. L. Walker
LTJG USN

20-24 Underway as before. 2125 Sighted Mokolii Island Light bearing 350°T, distance 18.5 miles 2145 Sighted Kahoolawe South west Point Light bearing 315°T, distance 14 miles. 2204 C/c to 300°T 2315 C/c to 306° with Kahoolawe SW Point Light abeam to starboard, range 3 miles.

G. L. Walker

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: G. L. Walker LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 8 (Date) JULY (Month), 1962

AT/PASSAGE FROM KAWAIHAE, HAWAII TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	6	SCT	29.98	77	73	3	1400	SC			
02	040	2	6	SCT	29.98	77	73	3	1400	SC			
03	040	2	6	SCT	29.98	77	74	4	1050	SC			
04	040	3	6	SCT	29.97	78	74	5	1400	SC			
05	045	2	6	SCT	29.97	79	75	5	1400	SC			
06	045	3	7	BKN	29.98	79	75	6	1400	SC			
07	040	3	7	BKN	29.99	81	76	8	1750	SC			
08	040	3	7	BKN	29.99	81	76	6	1750	CU			
09	040	3	7	BKN	30.01	82	77	6	1750	CU			
10	045	5	7	SCT	30.02	82	77	5	1750	CU			
11	045	7	7	SCT	30.02	84	78	5	2100	CU			
12	045	7	7	SCT	30.00	87	80	3	2450	AC			
13	045	9	7	SCT	30.00	89	81	3	2800	AC			
14	045	12	7	SCT	30.00	92	82	3	3500	AC			
15	050	10	7	SCT	29.98	90	81	3	3150	AC			
16	045	9	7	SCT	29.97	88	80	2	2800	AC			
17	040	6	7	SCT	29.96	87	80	4	2450	AC			
18	040	6	7	SCT	29.96	85	79	5	2100	CU			
19	045	3	7	BKN	29.98	83	77	6	2100	CU			
20	045	3	6	BKN	29.99	82	75	6	2450	CU			
21	040	2	6	SCT	29.99	80	75	5	1750	CU			
22	040	1	6	SCT	30.00	79	74	5	1750	CU			
23	040	1	6	SCT	30.01	78	74	4	1400	SC			
24	040	1	6	SCT	30.02	78	74	4	1400	SC			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 1209

FUEL CONSUMED 0000-2400: 238

REMARKS

00-04 Underway in accordance with Com Serv Pac message 120404Z on base course 306°, speed 12.3 kts with YCV-17 in tow with 1100' of wire to the dog. Material Condition Yoke is set second deck and below. 0005 Sighted Palaoa Point Light bearing 329°, range 15.5 miles 0050 C/c to 308° 0145 Passed ~~Palaoa~~ Palaoa Point Light abeam to starboard, distance 5.7 miles. 0239 C/c to 306° 0255 C/c to 304° 0315 Sighted Laau Point Light bearing 343°, distance 18 miles

R. L. Walker
Lt JG USN

04-08 Underway as before. 0420 Sighted Makapuu Point Light bearing 328°, distance 31 miles. Passed Laau Point Light abeam to starboard, distance, 9 miles. 0750 C/c to 311. Mustered the crew on stations; Absentees: none.

R. L. Walker
Lt JG USN

APPROVED: [signature] LCDR, U. S. N. COMMANDING

EXAMINED: R. L. Walker Lt JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SUNDAY (Day) 8 (Date) JULY (Month), 1962

Ø8-12 UNDERWAY AS BEFORE. Ø810 CAPTAIN HAS DECK AND CONN Ø816 ℄S TO 75 RPM Ø817 HEAVED TOW INTO 6ØØ FT. Ø820 ℄S TO A/A STOP PLACED NUMBER ONE MAIN GENERATOR IN PROPULSION LOOP ℄S TO A/A 6Ø RPM Ø821 ℄S TO A/A 7Ø RPM Ø824 HEAVED TOW INTO 5ØØ FT. Ø825 ℄S TO A/A 75 RPM Ø835 ℄C TO 32Ø°T Ø836 SET SPECIAL SEA AND ACHOR DETAIL. Ø838 ℄C TO 325°T Ø839 ℄S A/STOP SHIFTED MOTOR CONTROL TO BRIDGE A/A 2/3 -5Ø RPM Ø84Ø ℄C TO 33Ø°T Ø844 ℄C TO 336°T. Ø845 COMMENCED MANUVERING AT VARIOUS COURSES & SPEEDS TO CONFORM WITH ENTRANCE TO PEARL HARBOR. Ø853 HEAVED TOW INTO 3ØØ FT Ø91Ø HEAVED TOW INTO 2ØØ FT. Ø957 HEAVED TOW INTO 15Ø FT. 1ØØ1 PASSED BOUY NO 2 ABEAM TO STBD. APROX 15Ø YDS 1Ø12 YTB 762 CAME ALONGSIDE TOW 1Ø13 HEAVED TOW INTO 5Ø FT. 1Ø17 YTB 762 HAS CONTROL OF TOW. 1Ø2Ø BROKE TOW YTB 762 DEPARTED WITH TOW. 1Ø21 PASSED BOUY NO. 6 ABEAM TO STBD APROX 15Ø YDS. 1Ø22 MANUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1Ø33 PASSE BOUY NO 16 ABEAM TO STBD, APROX 2ØØ YDS. 1Ø35 PASSED BOUY 20 ABEAM TO STBD, APROX 15Ø YDS. 1Ø38 PASSED BOUY NO 22 ABEAM TO STBD, APROX 75 YDS 1Ø58 MOORED PORTSIDE TO BERTH SIERRA SEVENTEEN, PEARL HARBOR HAWAII. 1105 SECURED MAIN ENGINES, PUT RADAR & FATHOMETER ON STANDBYE. 1107 SECURED SPECIAL SEA DETAIL. SET REGULAR IN PORT WATCH. 1124 MADE DAILY INSPECTION OF MAGIZINE AND SMOKELESS POWDER SAMPLES CONDITION'S NORMAL.

Leslie E Horton
Ens USN

12-16 MOORED AS BEFORE

Leslie E Horton
Ens USN

16-20 MOORED AS BEFORE 18ØØ SET MATERIAL CONDITION YOKE SECOND DECK AND BELOW.

Leslie E Horton
Ens USN

20-24 MOORED AS BEFORE

Leslie E Horton
Ens USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Monday (Day) 9 (Date) July (Month), 19 69

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	035	3	6	SCT	30.04	76	72	4	1400	SC			
02	035	2	6	SCT	30.01	75	71	4	1400	SC			
03	030	2	6	SCT	30.00	74	70	4	1400	SC			
04	030	2	6	SCT	30.00	73	68	4	1750	SC			
05	030	3	6	SCT	30.00	73	69	5	1400	SC			
06	030	3	7	SCT	30.00	73	69	5	1400	SC			
07	035	3	7	BKN	30.00	73	69	6	1400	SC			
08	035	3	7	BKN	30.00	77	73	6	1400	SC			
09	040	2	7	BKN	30.01	79	74	7	1750	CU			
10	045	2	7	BKN	30.01	81	73	7	2800	AC			
11	045	2	7	BKN	30.01	82	73	7	3150	AC			
12	065	2	7	BKN	30.00	85	75	8	3500	CI			
13	040	5	7	BKN	29.99	86	74	9	4900	CI			
14	035	6	7	BKN	29.98	89	78	9	3850	CI			
15	035	4	7	BKN	29.97	91	80	9	3850	CI			
16	035	4	7	BKN	29.95	93	80	9	4550	CI			
17	040	4	7	BKN	29.94	89	78	8	3850	CC			
18	035	9	7	BKN	29.94	83	76	8	2450	AC			
19	045	6	7	BKN	29.95	80	76	7	1400	CU			
20	045	5	6	BKN	29.96	78	75	7	1050	SC			
21	040	3	6	BKN	29.97	77	74	7	1050	SC			
22	040	2	6	BKN	29.98	76	73	6	1050	SC			
23	040	1	6	SCT	29.98	75	70	5	1750	SC			
24	045	1	6	SCT	29.99	75	72	5	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
239

REMARKS

0000-0400 Moored Port Side To Sierra Seventeen, US Submarine Base, Pearl Harbor, Hawaii With Four Standard Mooring Set Lines & Doubled, Receiving Telephone And Fresh Water From Pier. Condition Yoke Set Second Deck And Below Ships Present Include Various Units Of US. Pacific Fleet. Set Various ~~Units~~ Yard And District Craft. SOPA is Com ASW For Pac.

Leslie E Horton
Ens USN

0400-0800 Moored As Before. 0645 Mustered Crew At Quarters: Absentees: None.

Leslie E Horton
Ens USN

APPROVED: [signature] COMM U. S. N. COMMANDING

EXAMINED: A L Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 9 (Date) July (Month), 19 62

08-12: MOORED AS BEFORE. 0805 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H E Lawson, ENS, USNR

12-16: MOORED AS BEFORE.

H E Lawson, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H E Lawson, ENS, USNR

20-24: MOORED AS BEFORE.

H E Lawson, ENS, USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY (Day) 10 (Date) JULY (Month), 19 60

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	6	BKN	29.97	75	72	6	1050	SC			
02	050	1	6	BKN	29.95	75	72	6	1050	SC			
03	050	2	6	BKN	29.94	75	72	6	1050	SC			
04	055	1	6	BKN	29.94	75	72	7	1050	SC			
05	045	1	6	BKN	29.95	75	72	8	1050	SC			
06	035	3	7	BKN	29.95	75	72	8	1050	SC			
07	030	3	7	BKN	29.95	77	73	8	1400	SC			
08	020	2	7	BKN	29.96	78	74	7	1400	CU			
09	020	2	7	BKN	29.96	80	74	7	2100	CU			
10	025	3	7	BKN	29.97	81	74	6	2450	CU			
11	020	3	7	SCT	29.97	83	75	5	2700	AC			
12	020	3	7	SCT	29.98	86	76	5	3500	AC			
13	030	3	7	SCT	29.96	87	77	3	3500	CC			
14	030	3	7	SCT	29.96	93	82	3	3850	CI			
15	030	3	7	SCT	29.96	96	82	3	4700	CI			
16	035	4	7	SCT	29.97	95	81	3	4700	CI			
17	035	4	7	SCT	29.97	94	80	4	4700	CI			
18	040	4	7	SCT	29.97	90	77	4	~~4650~~	CI			
19	040	5	7	SCT	29.98	85	77	5	3500	CC			
20	040	4	6	SCT	29.98	81	78	5	1050	CU			
21	035	4	6	SCT	29.98	81	78	4	1050	CU			
22	035	3	6	SCT	29.98	78	74	4	1400	CU			
23	040	2	6	SCT	29.98	76	72	3	1400	CU			
24	040	2	6	SCT	29.98	76	71	3	1750	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

192

REMARKS

00-04: MOORED PORT SIDE TO BERTH SIERRA-SEVENTEEN (S-17), AT U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

W. L. SWOAN, ENS, USNR

04-08: MOORED AS BEFORE. 0645 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0725 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. L. SWOAN, ENS, USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: R. L. Walker LT/JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 10 (Date) JULY (Month), 1962

08-12. Moored as before.

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20. Moored as before. 1800 Set material condition "Yoke" second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker LtJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 11 (Date) July (Month), 19 62

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	5	BKN	29.98	76	75	4	350	SC			
02	040	2	5	BKN	29.96	75	74	4	350	SC			
03	040	2	5	BKN	29.96	75	74	4	350	SC			
04	045	3	5	BKN	29.97	76	75	4	350	CU			
05	045	3	5	BKN	29.97	76	75	4	350	CU			
06	045	3	6	BKN	29.97	75	74	4	350	CU			
07	045	4	6	SCT	29.97	77	74	4	1050	CU			
08	040	4	6	SCT	29.98	79	73	4	2100	CU			
09	045	6	6	SCT	29.98	81	72	4	3150	CU			
10	045	7	6	SCT	29.99	83	73	4	3500	CU			
11	040	5	7	SCT	29.99	86	73	3	4550	CC			
12	040	10	7	SCT	29.99	86	74	4	4200	CU			
13	045	11	7	SCT	29.98	88	75	4	4550	CU			
14	060	8	7	SCT	29.97	89	78	4	3850	CU			
15	075	9	7	SCT	29.97	91	88	4	1050	CU			
16	075	9	7	SCT	29.96	92	90	2	700	CU			
17	065	9	7	SCT	29.95	87	86	1	350	CU			
18	065	3	7	SCT	29.95	87	86	1	350	CU			
19	065	3	7	SCT	29.99	87	86	1	350	CU			
20	065	3	7	SCT	29.95	87	86	1	350	CU			
21	065	3	6	SCT	30.00	78	77	1	350	CU			
22	065	3	6	SCT	30.01	77	76	1	350	CU			
23	065	3	6	SCT	30.01	77	72	1	1750	CU			
24	060	4	6	SCT	30.02	76	71	2	1750	CU			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
153

REMARKS

00-04. Moored Port Side to Serria Seventeen (ST7) U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled up, Receiving fresh water, electrical power and telephone services from the pier. Material Condition Yoke set second deck and below. Ship present include various ships and Units of the U.S. Pacific Fleet, Yard and district Craft. SOPA is COMASW FOR PAC

J E Hoffey CWO USN.

04-08. Moored as before 0645 Mustered the crew at Quarter for muster and inspection; absentees none. 0709. Made daily inspection of magazine and smokeless power samples; condition normal

J E Hoffey CWO USN

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 11 (Date) July (Month), 19 62

08-12 Moored as before 0950 made daily inspection of magazine and smokeless powder samples.

R. L. Walker
LtJG USN

12-16 Moored as before.

R. L. Walker
LtJG USN

16-20 Moored as before. 1800 Set Material Condition Yoke second deck and below.

R. L. Walker
LtJG USN

20-24 Moored as before. 2100 U.S.S. Sioux (ATF-75) moored alongside to starboard.

R. L. Walker
LtJG USN

APPROVED

CDR U. S. N. COMMANDING

EXAMINED:

R. L. Walker LtJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Thursday (Day) 12 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	3	BKN	30.02	76	70	4	2000	CU			
02	050	2	3	BKN	30.00	77	71	4	2000	CU			
03	060	2	3	BKN	30.00	77	73	4	1400	CU			
04	040	3	3	BKN	30.00	76	74	4	700	CU			
05	045	4	3	BKN	30.00	77	75	4	700	CU			
06	045	1	4	BKN	30.01	76	75	8	350	SC			
07	045	5	4	BKN	30.01	76	74	8	700	SC			
08	040	2	7	L	30.02	78	74	9	1400	SC			
09	060	5	7	L	30.02	79	74	9	1500	SC			
10	060	5	7	L	30.04	81	74	9	1500	SC			
11	060	6	7	L	30.06	82	74	9	1500	SC			
12	110	2	6	L	30.06	86	82	9	1400	SC			
13	110	2	6	BKN	30.07	88	77	7	3500	CU			
14	065	2	6	BKN	30.05	86	77	7	3150	CU			
15	125	3	6	BKN	30.04	88	83	6	1750	CU			
16	065	3	5	BKN	30.02	91	90	7	350	CU			
17	060	3	5	BKN	30.02	90	80	7	3500	CU			
18	060	3	6	BKN	30.02	90	76	7	4900	CU			
19	060	3	5	BKN	30.02	84	76	8	2800	SC			
20	050	5	5	BKN	30.02	84	76	8	2800	SC			
21	050	5	5	BKN	30.02	85	77	8	2800	SC			
22	050	5	5	L	30.03	85	77	8	2800	SC			
23	050	5	5	L	30.03	84	76	8	2800	SC			
24	050	5	5	L	30.03	83	75	8	2800	SC			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
85

REMARKS

00-04 Moored port side to berth (S-17) with standard mooring lines doubled to the pier at U. S. Naval Station, Pearl Harbor, Hawaii. U.S.S. Sinex (ATF-75) moored alongside to starboard. Recieving fresh water, power, and telephone services from the pier. Material Condition Yoke is set second deck and below. Ships present include units of the U. S. Pacific Fleet, and various yard and district craft. SOPA is ~~Cinc Pac Flt~~ Com ASW For Pac.

R. L. Walker
Lt JG USN

04-08 Moored as before. 0645 Mustered the crew at quarters; Absentees: none. 0709 Made daily inspection of magazines and smokeless powder samples; Conditions: normal.

R. L. Walker
Lt JG USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker Lt JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 12 (Date) July (Month) 19 62

0800-1200 Moored As Before. 1047 Shifted To Shore Power.

Leslie E Horton
Enc USN.

1200-1600 Moored As Before

Leslie E Horton
Enc USN

1600-2000 Moored As Before. 1800 Set Condition Yoke Second Deck And Below.

Leslie E Horton
Enc USN

2000-2400 Moored As Before

Leslie E Horton
Enc USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: L. L. Walker Lt/JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 13 (Date) July (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	3	5	~~Rain~~	30.03	80	76	6	2100	SC			
02	050	2	5	Set	30.03	79	77	5	700	SC			
03	050	1	5	Set	30.03	78	77	5	350	SC			
04	050	1	5	Set	30.03	78	77	5	350	SC			
05	050	1	5	Set	30.03	77	76	5	350	SC			
06	050	2	7	Set	30.04	77	71	5	2100	SC			
07	045	3	7	Set	30.04	77	71	4	2100	SC			
08	045	3	7	Set	30.06	79	73	4	2100	SC			
09	050	5	7	Set	30.05	81	76	2	1750	CU			
10	050	5	7	Set	30.05	84	78	3	2100	CU			
11	050	5	7	Set	30.05	85	75	3	3500	CU			
12	055	5	7	Set	30.04	85	75	3	3500	CU			
13	055	6	7	Set	30.04	85	75	3	2800	CU			
14	080	6	7	Set	30.05	88	80	3	2450	CU			
15	085	6	7	Set	30.05	89	88	3	2450	CU			
16	085	6	7	Set	30.06	94	73	3	2100	CU			
17	085	6	7	Set	30.06	98	90	3	2800	CU			
18	085	6	7	Set	30.06	102	98	3	1400	CU			
19	080	5	7	Set	30.01	100	99	3	350	CU			
20	040	3	7	Set	30.00	99	97	3	700	CU			
21	040	3	7	Set	30.00	81	81	3	—	CU			
22	030	3	7	Set	30.03	82	80	3	350	CU			
23	030	3	7	Set	30.02	79	79	3	—	CU			
24	035	3	5	Set	30.02	77	76	2	350	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

47

REMARKS

0000-0004 Moored Port Side To Berth Serria Seventeen U.S. Submarine Base Pearl Harbor Hawaii With Four Standard Mooring Lines Doubled. Recieving Various Services From Pier Including Fresh Water, Telephone And Electrical Power. Ships Present Include Various Units of US Pacific Fleet And Various Yard And District Craft. Condition Yoke Set Second Deck And Below. SOPA is ComASW For Pac.

Leslie E Hartz
Ens USN

0004-0008 Moored As Before. 0645 Mustered The Crew At Quarters: Absentees None. 0725 Made Daily Inspection Of Magazines And Smokless Powder Samples: Conditions Normal

Leslie E Hartz
Ens USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: A. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 13 (Date) July (Month) 1962

08-12: MOORED AS BEFORE. 0805 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY. 0905 COMSERVPAC INSPECTING PARTY REPORTED ABOARD TO HOLD PRE-DEPLOYMENT INSPECTION. 1103 COMSERVPAC INSPECTING PARTY DEPARTED THE SHIP. 1130 COMMENCED COMMANDING OFFICER'S MATERIEL INSPECTION.

A. L. Swan, ENS, USNR

12-16: MOORED AS BEFORE. ~~1220~~ 1214 SECURED FROM COMMANDING OFFICER'S MATERIAL INSPECTION. 1217 WHILE PREPARING FOOD FOR NOON MEAL, BRUCE, WILLIAM J., 254-17-73, CS2, USN RECEIVED SMALL LACERATION FROM PARING KNIFE ON HIS LEFT THUMB; NOT DUE TO HIS OWN MISCONDUCT; TREATMENT ADMINISTERED BY RIPLEY, H., H.M.1; DISPOSITION: RETURNED TO DUTY. 1430. COMMENCED COMMANDING OFFICER'S PERSONNEL INSPECTION. 1445 SECURED FROM COMMANDING OFFICERS PERSONNEL INSPECTION.

A. L. Swan, ENS, USNR

16-20: MOORED AS BEFORE 1800 SET MATERIAL CONDITION YOKE

A. L. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

A. L. Swan, ENS, USNR

APPROVED: CDR U. S. N. COMMANDING

EXAMINED: A. L. Walker LtJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 14 (Date) July (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	035	3	5	SCT	30.02	76	75	2	350	CU			
02	040	3	5	SCT	30.03	76	75	2	350	CU			
03	040	3	5	CIR	30.03	75	74	1	350	CU			
04	040	3	5	SCT	30.03	75	74	2	350	CU			
05	040	4	5	SCT	30.03	75	74	3	350	CU			
06	045	3	6	SCT	30.03	76	75	3	350	CU			
07	045	4	7	BKN	30.04	75	72	6	1050	CU			
08	045	2	7	SCT	30.04	81	75	3	2100	SC			
09	300	3	7	SCT	30.04	83	75	3	2100	CU			
10	0	0	7	SCT	30.04	86	77	3	3150	CU			
11	110	2	7	SCT	30.04	86	81	3	1750	CU			
12	015	2	7	SCT	30.03	89	85	4	1750	CU			
13	015	3	7	SCT	30.03	89	85	4	1750	CU			
14	013	3	7	SCT	30.03	89	84	5	1750	CU			
15	013	3	7	SCT	29.98	95	92	3	1750	CU			
16	013	5	7	SCT	29.98	97	94	3	1400	CU			
17	013	5	7	SCT	29.98	99	96	3	1050	CU			
18	013	3	7	SCT	29.98	95	88	3	4900	CU			
19	013	3	7	SCT	29.98	88	84	3	1400	CU			
20	013	3	7	SCT	29.98	88	71	3	3500	CU			
21	040	2	6	SCT	30.00	79	73	3	2100	CU			
22	035	2	6	SCT	30.00	79	73	2	2100	CU			
23	040	2	6	SCT	30.00	79	74	2	1750	CU			
24	045	2	6	SCT	30.00	78	75	2	1050	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
55

REMARKS

00-04: MOORED PORT SIDE TO BERTH SIERRA-SEVENTEEN (S-17) AT U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWOFORPAC.

H. L. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0645 MUSTERED CREW AT QUARTERS; ABSENTEES NONE. 0728 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. L. Swan, ENS, USNR

APPROVED: [signature] CCOR U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 14 (Date) July (Month) 1962

08-12. Moored as before. 0829. Captain Zinning came aboard COMSERVPAC Operation for departure material inspection 1000 Captain Zinning departed.

J.E. Hoffey CWO USN.

12-16. Moored as before. 1200 Shifted from shore power to ship auxiliary power. 1241. Shifted backed shore power.

J.E. Hoffey CWO USN.

16-20. Moored as before. 1800 Set Material Condition Yoke second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: L.L. Walker LtJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Sunday (Day) 15 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	6	SCT	29.99	78	75	3	1050	CU			
02	040	2	6	SCT	29.99	78	75	3	1050	CU			
03	040	2	6	SCT	29.99	79	75	3	1400	CU			
04	040	2	6	SCT	29.99	79	75	3	1400	CU			
05	040	1	6	SCT	29.99	78	75	3	1050	CU			
06	040	1	6	SCT	29.99	78	74	3	1400	CU			
07	040	2	7	SCT	29.99	78	74	3	1400	CU			
08	045	3	6	SCT	30.02	81	73	3	2800	AC			
09	040	2	7	SCT	30.02	83	74	3	3150	AC			
10	035	7	7	SCT	30.02	86	78	4	2800	AC			
11	055	2	7	SCT	30.02	86	82	4	1400	CU			
12	060	2	7	SCT	30.01	88	83	4	1750	CU			
13	060	3	7	SCT	30.00	93	87	5	2100	CU			
14	065	3	7	SCT	29.99	90	85	5	1750	CU			
15	070	3	7	SCT	29.97	95	80	5	1750	AC			
16	065	7	8	SCT	29.98	94	79	2	5250	CC			
17	045	8	8	SCT	29.99	94	79	2	5250	CC			
18	050	3	8	SCT	29.99	93	78	2	5250	CC			
19	060	3	8	SCT	29.99	89	82	2	2450	CC			
20	055	4	7	SCT	29.99	87	82	2	1750	AC			
21	055	3	7	SCT	30.00	83	81	2	700	SC			
22	050	5	6	SCT	30.00	83	79	1	1400	SC			
23	050	6	6	SCT	30.00	81	78	1	1050	SC			
24	050	6	5	SCT	30.01	78	76	1	700	SC			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
38

REMARKS

00-04 Moored Port side to Berth Seventeen (S-17) U.S. Naval Submarine Base, Pearl Harbor, Hawaii with 2 standard mooring lines, U.S.S. Sioux (YTF-75) moored alongside to starboard, Receiving freshwater Electrical power and telephone service from pier. Material Condition Yoke set second deck and below. Ship present include various ships and units of the U.S. Pacific Fleet, yard and district craft. SOPA is COMASWFORPAC.

J.E. Hoffey CWO U.S.N.

04-08 Moored as before

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: A.L. Walker LT JG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 15 (Date) July (Month), 19 62

08-12 Moored as before 0803 Mustered the crew on stations; Absentees: none. 1000 Made daily inspection of magazine and smokeless powder samples; Conditions: normal.

A. L. Walker
LtJG USN

12-16 Moored as before.

A. L. Walker
LtJG USN

16-20 moored as before. 1800 Set Material Condition Yoke second deck and below.

A. L. Walker
LtJG USN

20-24 Moored as before.

A. L. Walker
LtJG USN

APPROVED: CDR U.S.N. COMMANDING

EXAMINED: A. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 16 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	3	6	Sct	30.00	78	76	1	700	Sc			
02	045	3	6	Sct	30.00	76	75	2	1050	Sc			
03	035	2	6	Sct	30.00	77	74	2	1050	Sc			
04	040	1	6	Sct	30.00	76	73	2	1050	Sc			
05	040	1	6	Sct	29.99	76	73	1	1050	Sc			
06	040	1	6	Sct	29.99	77	70	1	24500	Ac			
07	050	3	7	Sct	30.01	79	71	2	28000	Ac			
08	060	4	7	Sct	30.03	81	73	2	28000	Ac			
09	065	4	7	Sct	30.03	84	74	2	35000	Cc			
10	050	4	7	Sct	30.03	85	74	2	38500	Cc			
11	040	5	7	Sct	30.03	87	76	3	38500	Cc			
12	030	5	7	Sct	30.02	90	80	3	35000	Cc			
13	035	5	7	Sct	30.00	90	80	3	35000	Cc			
14	035	5	7	Sct	30.00	91	81	3	35000	Cc			
15	005	5	7	Sct	29.98	98	87	3	38500	Ci			
16	005	5	7	Sct	29.98	91	82	3	32500	Ci			
17	040	5	7	Sct	29.96	90	82	3	28000	Cc			
18	035	4	7	Sct	29.96	83	78	3	17500	Cu			
19	035	4	7	Sct	29.96	82	76	3	21000	Cu			
20	040	4	6	Sct	29.97	82	76	3	21000	Cu			
21	040	4	5	Sct	29.98	80	73	3	24500	Ac			
22	035	4	5	Sct	29.98	80	73	3	28000	Ac			
23	040	4	5	Sct	29.99	79	72	3	24500	Ac			
24	040	4	5	Sct	29.99	78	71	3	24500	Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

115

REMARKS

0000 - 0400 Moored port side to berth S-17, with U.S.S. Lipan (ATF-75) moored alongside to starboard, standard mooring lines are doubled to the pier at U.S. Naval Station Pearl Harbor, Hawaii receiving fresh water, electric power, and telephone service from the pier. Material Condition Yoke in effect second deck and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Com ASW For Pac.

R. L. Walker
LTJGUSN

0400-0800 Moored as before. 0645 Mustered the crew at quarters. Present: none. 0740 Lt. C.C. Reed, U.S.N, 403119, reported on board for duty as commanding officer in accordance with BuPers Order 132733 of 19 April 1962.

R. L. Walker
LTJG USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 MONDAY (Day) 16 (Date) JULY (Month) 19 62

0800-1200 MOORED AS BEFORE. 0805 ELLIOTT, JAMES LESLIE 479-99-13 EN3 USN REPORTED ABOARD FOR DUTY. 0957 USS HITCHITI ATF 103 MOORED ALONGSIDE PORT SIDE TOO. 1140 MELANCON, FRANCIS G. FA USN PLACED ON BINNACLE LIST. DG: DU (INFLUENZA EARLY) #7955

Leslie E. Barton
Ens USN

1200-1600. MOORED AS BEFORE. 1335 COMMENCED SHIFTING BERTHS BY USE OF MOORING LINES. 1356 SECURED FROM SHIFTING BERTHS. MOORED PORT SIDE TO USS CONSERVER (ARS-39) WITH 4 STANDARD MOORING LINES DOUBLED. AT BERTH SERRIA SEVENTEEN OUT BOARD. ~~1522 VOGEL, NORMAN EUGENE RAMN 513-44-18 REPORTED ABOARD FOR DUTY.~~

Leslie E. Barton
Ens USN

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE SECOND DECK AND BELOW.

Leslie E. Barton
Ens USN

2000-2400 MOORED AS BEFORE

Leslie E. Barton
Ens USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: L. L. Walker LT/G U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY (Day) 17 (Date) JULY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	5	SCT	29.99	77	72	3	1750	CU			
02	035	2	5	SCT	29.99	77	72	2	1750	CU			
03	035	2	5	SCT	29.99	77	72	3	1750	CU			
04	035	2	5	SCT	29.99	76	72	3	1400	CU			
05	035	2	6	SCT	29.99	76	72	3	1400	CU			
06	035	2	6	SCT	29.99	76	72	3	1400	CU			
07	035	2	7	SCT	30.00	77	72	3	1750	CU			
08	070	2	7	SCT	30.00	78	73	3	1750	CU			
09	080	10	7	SCT	30.00	80	73	3	2450	CU			
10	080	12	7	SCT	30.00	81	75	2	2100	AC			
11	080	14	7	SCT	29.99	82	76	2	2100	AC			
12	085	12	7	SCT	29.99	84	77	2	2450	AC			
13	085	11	7	SCT	29.99	87	77	2	3500	CC			
14	080	9	7	SCT	29.99	89	79	2	3500	CC			
15	080	8	7	SCT	29.99	90	79	2	3850	CC			
16	075	7	7	SCT	29.99	87	77	2	3500	CC			
17	080	5	7	SCT	29.99	85	75	2	3500	CC			
18	070	5	6	SCT	29.98	83	77	3	2100	AC			
19	070	5	6	SCT	29.98	82	76	3	2100	AC			
20	070	5	6	SCT	29.98	82	76	3	2100	AC			
21	070	6	6	SCT	29.99	83	77	3	2100	AC			
22	070	6	7	SCT	29.99	83	77	3	2100	AC			
23	070	6	7	SCT	29.98	83	77	3	2100	CU			
24	060	5	6	SCT	29.98	80	76	1	1400	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 30.9

FUEL CONSUMED 0000-2400: 649

REMARKS

00-04 MOORED PORT SIDE TO U.S.S. CONSERVER (ARS-39) AT BERTH SIERRA SEVENTEEN PEARL HARBOR HAWAII. WITH 4 STANDARD MOORING LINES DOUBLED, RECIEVING FRESH WATER AND TELEPHONE SERVICE FROM PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET AND VARIOUS YARD AND DISTRICT CRAFT. CONDITION YOKE SET SECOND DECK AND BELOW. SOPA IS COM ASW FOR PAC.

Leslie E Hartz Ens USN

04-08. MOORED AS BEFORE. 0555 RICHARDSON, DONALD G. SA 253-64-77 USN AND HEBERT, SHELTON J. SN 535-52-00 RETURNED TO SHIP BY HASP. CHARGE: ID CARD VIOLATION. 0645 MUSTERED CREW AT QTRS: ABSENTEES: HAMILTON, J.D. 592-64-77 EN3 USN. 0700 SET SPECIAL SEA AND ANCHOR DETAIL. 0715 UNDERWAY IAW PORT CONTROL MSG 171630Z OF JUNE 1962. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0740 RUN DEGAUSSING-TEST UNSATISFACTORY. 0756 PASSED BOUY #3 ABEAM TO STBD APROX 130 YDS

Leslie E Hartz Ens USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 17 (Date) July (Month) 1962

08-12: UNDERWAY AS BEFORE. 0800 PASSED BOUY #1 ABEAM TO STARBOARD DISTANCE 140 YDS. C/S TO 9.5 KTS. 0802 C/C 154° C/S 12.3 KTS. 0807 EXERCISING CREW AT GENERAL QUARTERS. 0809 C/S 9.5 KTS. ENTERED INTERNATIONAL WATERS. 0814 ~~COND~~ (HCC) MATERIAL CONDITION ZEBRA SET THROUGHOUT THE SHIP. 0815 SECURED FROM GENERAL QUARTERS. SET MATERIAL CONDITION YOKE. 0826 EXERCISING CREW AT GENERAL QUARTERS SET CONDITION ZEBRA. 0900 C/S 6.7 KTS. 0914 EXERCISING CREW AT ATOMIC ATTACK. 0917 C/C 285° 0926 C/S 14.3 KTS, C/C 235°. 0927 C/S 6.7 KTS. 0928 C/C 285° 0951 EXERCISING CREW AT PREPARATION TO ABANDON SHIP. 1002 SECURED FROM ~~MAN~~ (HCC) ABANDON SHIP DRILLS. 1006 SET MATERIAL CONDITION YOKE. 1011 SECURED FROM GENERAL QUARTERS. 1012 C/S 9.5 KTS C/C 145° 1014 C/S 6.7 KTS. 1018 EXERCISING CREW AT MANOVERBOARD DRILL. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO RECOVER DUMMY. 1029 SECURED FROM MAN OVERBOARD DRILLS. C/C 180° 1031 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1033 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO FAMILIARIZE PROSPECTIVE COMMANDING OFFICER. 1129 SECURED FROM FAMILIARIZATION STEAMING. C/S 3.3 KTS. 1145 COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. 1152 C/C TO 359° 1159 C/C 020°.

W. L. Johnson, ENS, USNR

12-16: UNDERWAY AS BEFORE. 1204 C/C TO 030°. 1208 SET SPECIAL SEA AND ANCHOR DETAIL. 1217 ENTERED INLAND WATERS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1237 PASSED BOUY #2 ABEAM TO STARBOARD DISTANCE 150 YDS. 1252 MOORED PORTSIDE TO BERTH ALFA-FIVE (A-5) U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. 1323 UNDERWAY FOR PRACTICE DOCKING. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1338 PASSED BOUY #1 ABEAM TO STARBOARD DISTANCE 180 YDS. 1340 REVERSED COURSE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH ENTERING PEARL HARBOR CHANNEL. 1345 PASSED BOUY #2 ABEAM TO STARBOARD, DISTANCE 160 YDS 1400 MOORED PORTSIDE TO BERTH ~~AT~~ (HCC) ALFA-FIVE (A-5) U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES. 1418 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1435 HAMILTON, JAMES DAVID, 542-73-06, EN3, USN WAS RETURNED ON BOARD BY HAWAIIAN ARMED SERVICES POLICE HAVING BEEN CHARGED WITH ARTICLE 92 OF UCMJ / FAILURE TO OBEY AN ORDER AT APPROXIMATELY 0350 17 JULY 1962.

W. L. Johnson, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. L. Johnson, ENS, USNR

20-24: MOORED AS BEFORE.

W. L. Johnson, ENS, USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Wednesday (Day) 18 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	4	5	SCT	30.01	79	76	4	1050	CU			
02	045	4	5	SCT	30.01	79	76	4	1050	CU			
03	045	4	5	SCT	30.01	78	76	3	700	SC			
04	045	3	5	SCT	30.00	79	78	3	350	SC			
05	045	2	5	SCT	30.00	79	74	3	1750	SC			
06	045	2	7	SCT	30.00	77	72	3	1750	CU			
07	045	2	7	SCT	30.00	79	73	3	2100	CU			
08	040	2	7	SCT	30.01	79	75	3	1400	CU			
09	055	2	7	SCT	30.02	82	76	4	2100	CU			
10	045	2	7	SCT	30.01	83	78	4	1750	CU			
11	045	3	8	SCT	30.01	85	80	4	1750	CU			
12	040	7	8	BKN	30.01	87	75	7	4200	CI			
13	045	10	8	BKN	30.00	89	79	7	3500	CI			
14	045	10	8	BKN	30.00	87	83	7	1400	CC			
15	030	3	6	BKN	30.00	85	79	6	2100	CC			
16	035	5	6	BKN	30.00	84	79	6	1750	CU			
17	040	4	6	BKN	30.00	83	79	7	1400	CU			
18	040	3	6	BKN	30.00	82	79	6	1050	CU			
19	045	3	6	BKN	30.00	82	79	6	1050	CU			
20	045	3	6	BKN	30.00	81	80	6	350	SC			
21	045	5	6	BKN	30.00	78	76	6	700	SC			
22	035	8	6	BKN	30.01	78	76	5	700	SC			
23	040	4	6	BKN	30.02	78	74	9	1400	SC			
24	040	4	6	BKN	30.02	76	72	9	1400	SC			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 5.9

FUEL CONSUMED 0000-2400: 139

REMARKS

00-04 MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5) AT U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

[signature], ENS, USNR

04-08: MOORED AS BEFORE. 0645 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0715 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

[signature], ENS, USNR

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: [signature] LT JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 18 (Date) July (Month), 19 62

08-12. Moored as before.

J.E. Hoffey CWO USN.

12-16 Moored as before

J.E. Hoffey CWO USN.

16-20 Moored as before. 1800 Set Material Condition Yoke second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before

J.E. Hoffey CWO USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: L. L. Walker Lt JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Thursday (Day) 19 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	7	SCT	30.03	76	72	4	1400	CU			
02	040	5	7	SCT	30.02	76	72	5	1400	CU			
03	040	5	7	SCT	30.02	76	72	5	1400	CU			
04	040	5	7	BKN	30.00	75	71	7	1400	CU			
05	040	7	7	BKN	30.00	75	71	7	1400	CU			
06	040	7	7	BKN	30.00	76	72	7	1400	CU			
07	040	5	7	SCT	30.00	76	72	5	1400	CU			
08	045	7	7	SCT	30.03	81	78	4	1050	SC			
09	060	7	7	SCT	30.03	82	78	4	1400	SC			
10	055	6	7	SCT	30.02	86	80	5	2100	AC			
11	050	7	7	SCT	30.02	85	75	5	3500	AC			
12	060	7	7	SCT	30.02	86	74	5	4200	CC			
13	060	7	7	SCT	30.01	88	75	5	4550	CI			
14	060	7	7	SCT	30.00	89	76	5	4550	CI			
15	060	7	7	SCT	30.01	87	76	5	3850	CI			
16	070	6	7	SCT	30.01	89	79	4	3500	CI			
17	075	6	7	SCT	30.02	91	83	4	2800	CC			
18	075	5	7	SCT	30.02	94	84	4	3500	CC			
19	070	5	6	SCT	30.01	92	82	4	3500	CC			
20	075	4	6	SCT	30.01	90	80	4	3500	CC			
21	070	4	6	SCT	30.00	88	78	4	3500	CC			
22	070	5	6	SCT	30.00	86	78	4	2800	AC			
23	075	4	6	SCT	30.00	84	76	4	2800	AC			
24	070	4	6	SCT	30.00	84	78	4	2100	AC			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

290

REMARKS

00-04. Moored port side to Berth Alfa Fire (A-5) U.S. Naval Station Pearl Harbor, Hawaii. With standard (nylon) mooring lines doubled up. Receiving fresh water and telephone service from pier. Material Condition Yoke set second deck and below. Ship present include ships and Units of the U.S. Pacific Fleet. Yard and district Craft. S.O.P.A. is COMASW FOR PAC.

J.E. Hoffey CWO USN

04-08. Moored as before. 0645 Mustered crew at Quarters for muster and inspection; absentees none. 0723 Made daily inspection of magazine and smokeless power samples; Condition Normal

J.E. Hoffey CWO USN.

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: [signature] Walker Lt JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 19 (Date) July (Month), 19 62

0800-12 Moored as before. 1100 Made daily inspection of magazine and smokeless powder samples: Condition, Normal. 1010 The Commanding Officer held mast and imposed non-judicial punishment as follows: HAMILTON, J.D., 592-64-77, EN3, USN, OFFENSE: Violation of ship's regulation of being drunk in a public place. PUNISHMENT: Reduced to EN4, but suspended for 6 months. RICHARDSON, D.G., 353-64-77 SA USN OFFENSE: Not having an I.D. Card in his possession. Punishment: Dismissed. HEBERT, D.J., SN, USN, OFFENSE: Illegally possessing another I.D. Card. Punishment: Dismissed with warning.

R. L. Walker
LTJG USN

1200-16 Moored as before.

R. L. Walker
LTJG USN

1600-20 Moored as before. 1800 Set Material Condition Yoke aboard deck and below.

R. L. Walker
LTJG USN

2000-24 Moored as before.

R. L. Walker
LTJG USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 20 (Date) July (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	075	4	5	Sct	30.01	83	78	4	1750	CU			
02	075	4	5	Sct	30.00	84	78	4	2100	CU			
03	075	4	5	Sct	30.02	82	77	4	1750	CU			
04	080	4	5	Sct	30.02	80	76	4	1400	CU			
05	080	3	5	Sct	30.02	78	75	4	1050	CU			
06	070	4	6	Sct	30.02	77	74	4	1050	CU			
07	070	4	7	Sct	29.99	80	78	4	700	Sc			
08	070	4	7	Sct	29.99	82	73	4	3150	Sc			
09	070	9	7	Sct	29.99	82	73	4	3150	CU			
10	070	11	7	Sct	29.99	85	74	4	3850	CU			
11	070	5	7	Sct	30.00	85	74	4	3850	CU			
12	095	3	7	Sct	29.99	86	75	5	3850	CU			
13	050	3	7	Sct	29.98	89	78	5	3850	CU			
14	035	3	7	Sct	29.98	89	80	4	3100	CU			
15	070	3	7	Sct	29.97	89	84	4	1750	CU			
16	065	3	7	Sct	29.97	91	89	2	700	CU			
17	065	3	7	Sct	29.96	91	89	2	700	CU			
18	035	3	7	Sct	29.96	93	89	4	1400	CU			
19	035	3	7	Sct	29.98	93	89	4	1400	CU			
20	035	3	7	Sct	30.00	88	76	4	4200	CU			
21	035	3	7	Sct	30.00	85	80	4	1750	CU			
22	035	3	7	Sct	30.00	80	75	4	1750	CU			
23	035	3	4	Sct	30.00	77	72	4	1750	CU			
24	060	6	5	Sct	29.99	76	70	4	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
50

REMARKS

00-04 Moored port side for berth A-5 with standard mooring lines doubled at U. S. Naval Station, Pearl Harbor, Hawaii. Receiving fresh water and telephone service from the pier. Material Condition Yoke is set second deck and below. Ships present include units of the U. S. Pacific Fleet and various yard and district craft. SOPA is ComASW For Com.

L. L. Walker
LTJG USN

04-08 Moored as before. 0645 Mustered the crew at quarters; Absentees: none. 0700 Set the Special Sea and Anchor Detail. 0714 Underway in accordance with Port Control message 201656Z of July 1962. Maneuvering on various courses and speeds to clear berth and conform with Pearl Harbor Channels. 0729 Passed buoy number 29 abeam to starboard, range 120 yards. 0752

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: L. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 20 (Date) July (Month), 19 62

Moored port side to berth 8-12 with standard mooring lines doubled. Receiving fresh water and telephone service from the pier.

R. L. Walker
LTJG USN

0800 Moored As Before. 0900 Commenced Taking On Fuel Draft: 13 Feet Fwd 16 Feet 9 In. Aft. 1000 Made Daily Inspection of Magazines And Smokless Powder Samples, Also Made Weekly Inspection of Magazine Sprinkler System Conditions Normal 1001 Secured Taking On Fuel: Draft: 13'3" Fwd 16'7" Aft

Leslie E. Horton
Enn USN

12-16 Moored As Before.

Leslie E. Horton
Enn USN

16-20 Moored As Before 1800 Set Condition Yoke Second Deck And Below.

Leslie E. Horton
Enn USN

20-24 Moored As Before.

Leslie E. Horton
Enn USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 21 (Date) JULY (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	4	5	SCT	29.99	76	70	5	2100	SC			
02	060	2	5	SCT	29.98	76	70	3	2100	SC			
03	030	1	4	SCT	29.98	76	70	3	2100	SC			
04	030	1	4	SCT	29.97	75	70	5	1750	CU			
05	035	2	4	SCT	29.97	75	70	5	1750	CU			
06	040	5	6	SCT	29.97	76	72	2	1400	CU			
07	050	7	7	SCT	29.98	77	74	2	1050	CU			
08	050	7	7	SCT	29.98	79	76	2	1050	CU			
09	055	10	7	SCT	29.99	83	76	3	2100	CU			
10	040	7	7	SCT	29.99	84	79	3	1750	CU			
11	040	10	7	SCT	29.99	86	80	3	2100	CU			
12	040	10	7	SCT	29.99	87	81	4	2100	CU			
13	045	10	7	SCT	29.99	88	81	4	2450	CU			
14	055	10	7	SCT	29.98	90	81	4	3150	CU			
15	055	10	8	SCT	29.98	92	83	4	3150	CI			
16	050	8	8	SCT	29.98	92	83	4	3150	CI			
17	045	6	7	SCT	29.97	90	81	4	3150	CC			
18	050	7	7	SCT	29.97	87	77	3	3500	CC			
19	050	4	7	SCT	29.96	82	74	3	2800	AC			
20	050	2	6	SCT	29.96	78	72	2	2100	AC			
21	055	2	6	SCT	29.97	78	73	2	1750	CU			
22	040	1	6	SCT	29.99	77	74	2	1050	CU			
23	045	1	6	CLR	29.99	77	74	1	1050	SC			
24	045	1	6	CLR	29.99	76	73	1	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

40

REMARKS

00-04 MOORED PORT SIDE TO BERTH SIERRA SEVENTEEN (AFT) US NAVAL SUBMARINE BASE PEARL HARBOR, WITH FOUR STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICAL POWER, FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. CONDITION YOKE SET SECOND DECK AND BELOW. SHIP PRESENT INCLUDE VARIOUS UNITS US PACIFIC FLEET AND VARIOUS YARD & DISTRICT CRAFT. SOPA IS COMASWFORPAC.

Leslie E. Horton
Lcdr USN.

0400 MOORED AS BEFORE. 0645 MUSTER CREW AT QUARTERS. ASSENTEES: NONE

Leslie E Horton
Lcdr USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

A. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 21 (Date) July (Month), 1962

08-12: MOORED AS BEFORE. 0800 CINCPACFLT RETURNED TO PEARL HARBOR AND ASSUMED DUTIES AS SOPA. 0855 MUSTERED THE CREW ON THE PIER FOR COMMANDING OFFICER'S PERSONNEL INSPECTION. 0908 COMMENCED COMMANDING OFFICER'S PERSONNEL INSPECTION. 0917 SECURED FROM PERSONNEL INSPECTION. 0925 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0950 MUSTERED CREW AT QUARTERS FOR READING OF ORDERS AND CHANGE OF COMMAND. 1004 COMMENCED CHANGE OF COMMAND CEREMONY. 1010 PERSUANT TO BUPERS ORDERS 132733 OF 19 APRIL 1962 LT. C.C. REED, 403119, USN RELIEVED LCDR S.J. SOWINSKI 555600, USN AS COMMANDING OFFICER. 1120 PERSUANT TO BUPERS ORDERS 150098 LCDR S.J. SOWINSKI, USN, 555600, WAS DETATCHED FROM THIS SHIP WITH ORDERS TO REPORT TO U.S.S. SURFBIRD (ADG-383) FOR DUTY AS COMMANDING OFFICER.

[signature], ENS, USNR

12-16: MOORED AS BEFORE.

[signature], ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

[signature], ENS, USNR

20-24: MOORED AS BEFORE.

[signature], ENS, USNR

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: [signature] LT.JG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Sunday (Day) 22 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	6	SCT	29.99	76	73	2	1050	CU			
02	040	2	6	SCT	29.98	76	73	2	1050	CU			
03	040	2	6	SCT	29.98	76	73	2	1050	CU			
04	040	2	6	SCT	29.98	76	73	2	1050	CU			
05	040	3	7	SCT	29.98	77	73	2	1400	CU			
06	040	2	8	SCT	29.97	77	74	2	1050	CU			
07	035	2	8	SCT	29.97	79	74	2	1750	CU			
08	035	2	7	SCT	29.95	80	76	2	1400	CU			
09	035	2	7	SCT	29.96	80	77	3	1050	CU			
10	035	2	7	SCT	29.97	85	79	3	2100	CU			
11	035	2	7	SCT	29.99	85	80	3	1750	CU			
12	030	2	7	SCT	29.99	86	80	3	2100	CU			
13	030	3	7	SCT	29.99	87	81	3	2100	CU			
14	035	3	7	SCT	30.00	87	80	3	2450	CU			
15	035	3	7	SCT	30.00	85	78	3	2450	CU			
16	035	3	7	SCT	29.99	83	76	4	2450	CU			
17	035	2	7	SCT	29.96	81	74	4	2450	CU			
18	030	3	6	SCT	29.95	81	74	3	2450	CU			
19	030	3	6	SCT	29.94	81	74	3	2450	CU			
20	030	3	6	SCT	29.94	79	73	3	2100	CU			
21	030	3	6	SCT	29.94	79	73	2	2100	CU			
22	030	2	5	SCT	29.94	79	72	2	2450	CU			
23	030	3	6	SCT	29.95	78	72	2	2100	CU			
24	030	3	4	SCT	29.95	78	73	2	1750	CU			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
121

REMARKS

00-04: MOORED PORTSIDE TO BERTH SIERRA-SEVENTEEN (S-17) AT U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR STANDARD MOORING LINES DOUBLED-UP. RECEIVING ~~MISCELLANEOUS~~ Fresh Water and telephone SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPAC FLT.

[signature], ENS, USNR

04-08: MOORED AS BEFORE.

[signature], ENS, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 22 (Date) July (Month), 1962

08-12. Moored as before. 0800 Mustered daily section on station; absentee none. 1030 Made daily inspection of magazine and smokeless powder sampled; condition normal.

J.E. Hoffey CWO USN.

12-16. Moored as before

J.E. Hoffey CWO USN.

16-20 Moored as before 1809 Set material condition Yoke second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before

J.E. Hoffey CWO USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 23 (Date) July (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	035	3	4	SCT	29.95	78	74	2	1400	CU			
02	035	3	4	L	29.94	77	75	2	700	CU			
03	040	3	4	L	29.95	77	73	2	1400	CU			
04	040	2	4	L	29.95	76	71	3	1750	CU			
05	040	3	4	L	29.95	76	71	4	1750	CU			
06	035	2	5	L	29.96	77	72	4	1750	CU			
07	040	2	6	L	29.97	78	73	4	1750	CU			
08	035	4	7	BKN	29.98	82	75	7	2450	SC			
09	040	5	7	BKN	29.98	83	76	6	2450	SC			
10	040	5	7	BKN	29.99	84	77	6	2450	SC			
11	070	7	7	BKN	30.00	85	78	6	2800	SC			
12	070	7	7	BKN	30.01	86	79	6	2450	SC	82	080	2
13	285	9	7	BKN	29.96	87	80	6	2450	SC	83	280	2
14	300	9	7	BKN	29.95	86	80	6	2100	SC	83	290	2
15	240	10	7	BKN	29.95	87	81	6	2100	SC	83	030	3
16	240	14	7	BKN	29.94	83	76	6	2450	SC	83	290	3
17	295	10	7	BKN	29.94	82	76	5	2100	SC	83	290	2
18	295	10	7	BKN	29.94	81	75	6	2100	SC	83	290	2
19	295	10	7	BKN	29.96	78	73	6	1750	SC	83	290	2
20	300	11	7	SCT	29.98	77	73	4	1400	SC	83	300	2
21	325	14	7	SCT	29.98	77	73	4	1400	SC	83	320	2
22	015	11	7	SCT	30.00	76	71	3	1750	SC	83	345	3
23	085	14	7	SCT	30.00	77	72	3	1750	SC	83	045	3
24	090	14	7	SCT	30.00	77	72	3	1750	SC	83	045	3

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L 21-13.5N		BY 3
λ 158-10.1W		BY 3
2000 L 22-47.5N		BY 2
λ 159-02W		BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1200 (ZT) 7-23-62 (Date)
TO 2000 (ZT) 7-23-62 (Date)
SET 280
DRIFT .6

POSITION BETWEEN FIXES

MID. L 22-00 N
MID. λ 158-26W

MILES STEAMED 0000-2400: 181.7

FUEL CONSUMED 0000-2400: 2071

REMARKS

00-04. Moored Port side to Berth Sierra Seventeen (S-17) U.S. Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines U.S.S. Quapaw (ATF-110) moored alongside to starboard. Receiving fresh water telephone and electrical power from pier. Material condition Yoke second deck and below. Ship present include various ships and units of the U.S. Pacific Fleet; Yard and district Craft. SOPA is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey CWO USN.

04-08. Moored as before

J.E. Hoffey CWO USN.

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.L. Walker HJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 23 (Date) July (Month), 1962

08-12 Moored as before 0805 Mustered the crew at quarters; Absentees; none. 0900 Made daily inspection of magazines and smokeless powder samples; Conditions: normal. 0945 Set the Special Sea and Anchor Detail. 1003 Underway in accordance with Com Ad Sea Frontier Op-Order 205-62. Maneuvering on various courses and speeds to ~~clear~~ clear berth and stand out of harbor. 1045 Passed buoy number 1 abeam to starboard range 170 yds. on course 153° speed 9.5 kts. 1048 Secured the Special Sea and Anchor Detail, set the regular underway watch. 1058 Entered International Waters. 1059 C/C to 260°T C/S to 13.3 kts.

F.H. DeLorme BM1

12-16 ~~Steaming~~ Underway as before 1203 C/C to 334°, 1231 C/C 355° 1233 C/C 334° Tested ships whistle, siren, general, chemical and steering alarms test satisfactory. 1402 took departure with Raena pt. light bry 096½° Dist approx 3.3 miles at ~~1402~~

C. E. Mann BM1

16-20 ~~Steaming~~ Underway as before

F.H. DeLorme BM1

20-24: UNDERWAY AS BEFORE.

[illegible], ENS, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: [illegible] Walker Lt JG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATR96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 24 (Date) JULY (Month), 1962

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	12	7	Sct	30.00	83	78	2	1750	Sc	82	090	2
02	100	12	7	Sct	30.00	81	79	4	1750	St	82	105	2
03	105	12	7	Sct	30.00	80	78	4	1750	Sc	82	100	2
04	105	11	6	Sct	30.00	78	75	4	1050	Sc	82	100	2
05	110	12	7	Sct	30.00	78	76	4	700	Sc	82	105	2
06	110	11	7	Sct	30.01	76	75	4	350	Sc	82	105	3
07	095	11	7	Sct	30.01	77	76	4	350	Sc	82	100	3
08	092	11	7	Sct	30.02	80	75	4	1750	Sc	82	270	2
09	092	11	7	Sct	30.03	80	74	3	2100	Sc	82	270	2
10	092	11	7	Sct	30.04	81	74	3	2450	Cu	82	270	2
11	092	11	7	Sct	30.04	82	74	4	2800	Cu	82	270	2
12	110	9	8	Sct	30.03	83	74	3	3150	Cu	82	100	2
13	115	9	8	Sct	30.03	84	74	4	3500	Cu	83	105	2
14	095	8	8	Sct	30.02	83	74	4	3150	Cu	83	100	2
15	085	8	8	Sct	30.02	83	74	4	3150	Cu	83	100	2
16	080	9	8	Sct	30.01	82	74	4	2800	Sc	83	100	2
17	080	8	8	Sct	30.01	82	72	4	3500	Sc	83	100	2
18	090	8	7	Sct	30.02	80	75	4	1750	Sc	83	100	2
19	140	5	7	Sct	30.02	81	76	4	1750	Sc	83	300	2
20	145	6	6	Sct	30.02	78	76	4	700	Sc	83	190	2
21	140	6	6	Sct	30.04	78	76	4	700	Sc	83	150	2
22	160	5	6	Sct	30.04	78	76	4	700	Sc	83	150	2
23	165	7	6	Sct	30.03	78	77	5	350	Sc	83	150	2
24	202	9	6	BKN	30.02	78	74	8	1400	Cu	83	180	2
17	085	7	7	Sct	30.00	82	74	3	2800	Sc	83	100	2

POSITION	ZONE	TIME
0800 L 25-07.5 N	BY	2
λ 160-14.8 W	BY	2
1200 L 25-54 N	BY	2
λ 160-44 W	BY	2
2000 L 27-33 N	BY	1
λ 161-28 W	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1200 (ZT) 7-24-62 (Date)
TO 2000 (ZT) 7-24-62 (Date)
SET 125
DRIFT 1

POSITION BETWEEN FIXES

MID. L 25-22 N
MID. λ 161-04 W

MILES STEAMED 0000-2400: 331.1

FUEL CONSUMED 0000-2400: 2609

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM PEARL HARBOR ~~ALASKA~~ HAWAII TO ADAK, ALASKA IN ACCORDANCE WITH COMAL SEA FRONTIER OP ORD 205-62. BASE COURSE 334°T BASE SPEED 13.3 KNTS. CONDITION YOKE SET THRU OUT SHAFT. NUMBER 2.3.4 MAIN GENERATORS IN THE LOOP WITH EXITATION ON NO.1 SHIP SERVICE GENERATOR.

Leslie E. Harton
Ens. USN.

04-08. Underway as before.

J. C. Hoffes CWO USN.

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 24 (Date) July (Month), 1962

08-12 0745 Tested ships siren, whistle, general, Chemical and steering alarm, test satisfactory. 0750 took #2 main generator out of loop put #1 main generator in loop. 0800 mustered crew on stations absentees none.

C. E. Mann BM1

12-16 Underway as before 1255 Small arms target practise

J.H. DeLorme BM1

16-20 Underway as before 1800 retarded all clocks one (1) hour to conform with +11 zone time zone

C.E. Mann BM1

20-24 UNDERWAY AS BEFORE

Leslie E Norton
Lieut USN

APPROVED:

C C Reed Lt U. S. N. COMMANDING

EXAMINED:

B. L. Walker Lt JG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE WEDNESDAY (Day) 25 (Date) JULY (Month), 19 62

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	208	6	6	BKN	30.01	77	72	8	1750	CU	82	180	2
02	182	6	6	BKN	30.00	78	73	8	1750	CU	82	180	2
03	187	9	6	BKN	29.98	78	73	8	1400	CU	82	180	2
04	220	7	7	BKN	29.98	78	73	8	1750	SC	82	200	2
05	260	7	7	BKN	29.99	78	73	8	1750	SC	82	245	2
06	230	6	7	BKN	29.99	77	73	8	1400	SC	82	240	2
07	175	8	7	BKN	30.00	79	74	6	1750	SC	83	200	2
08	180	9	6	BKN	30.01	79	73	9	2100	ST	83	200	2
09	190	8	6	BKN	30.01	79	75	7	1400	SC	83	200	2
10	190	10	7	BKN	30.02	80	74	7	2100	SC	83	200	2
11	195	9	7	BKN	30.02	83	75	7	2100	SC	82	200	1
12	195	9	7	BKN	30.01	82	76	7	2100	SC	82	200	2
13	165	9	7	BKN	30.00	84	75	7	3150	SC	82	190	1
14	150	11	7	BKN	30.00	86	75	7	3850	SC	82	170	1
15	090	6	7	BKN	30.00	84	78	7	2100	SC	82	070	1
16	018	5	7	BKN	29.98	82	75	6	2450	SC	82	080	1
17	035	9	7	BKN	29.98	80	74	6	2100	CU	82	050	2
18	050	9	7	BKN	29.98	79	73	6	2100	CU	83	045	2
19	055	9	7	BKN	30.00	77	72	7	1750	CU	83	045	3
20	060	13	7	BKN	30.00	77	73	7	1400	CU	83	045	3
21	065	19	7	BKN	30.03	77	73	7	1400	CU	83	045	3
22	040	13	7	BKN	30.03	77	73	7	1400	CU	83	045	3
23	050	10	7	BKN	30.05	77	73	7	1400	CU	83	045	3
24	055	11	6	BKN	30.04	75	73	9	700	CU	83	045	3

POSITION	ZONE	TIME
0800 L 30-01 N		BY 1
λ 162-54 W		BY 1
1200 L 30-49 N		BY 1
λ 163-38 W		BY 1
2000 L 32-14 N		BY 1
λ 164-12 W		BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM 0800 (ZT)	7-25-62 (Date)
TO 1200 (ZT)	7-25-62 (Date)
SET 275	
DRIFT 1	
POSITION BETWEEN FIXES	
MID. L 30-24 N	
MID. λ 163-10 W	

MILES STEAMED 0000-2400
320.0

FUEL CONSUMED 0000-2400
~~2609~~ 3505

REMARKS

00-04. ~~Steaming~~ Underway independently enroute from Pearl Harbor, Hawaii to Adak Alaska. In accordance with COMFLSEA FRONTIER, OP ORD 205-62, Base Course 334°T. Speed 110 RPM, 13.3 kts Material Condition Yoke set, second checkword below; Readiness Condition three set. Number 1, 3 and 4 main generators on the propulsion loop. Number one auxiliary 3/8 Generator furnishing ship power and operation.

J. E. Hoffey CWO USN

04-08: UNDERWAY AS BEFORE.

C. L. Jones, ENS, USNR

APPROVED:
C. C. Reed Lt U. S. N. COMMANDING

EXAMINED:
A. L. Walker LT/G U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 25 (Date) July (Month), 1962

08-12 0745 Tested ships whistle Siren general chemical and steering alarm. Test Satisfactory 0803 mustered crew on ~~station~~ stations no absentees 0810 C/S A/S placed no. #2 main generator in loop Took out no. #3 main generator. C/S A/FLANK on no. #1, #2 #4 main generators 110 RPM. 0829 C/S A/S 0832 C/S A/3/3 0833 C/S A/FLANK 110 RPM. 13.3 KTS. 0920 C/S A/S C/S A/FLANK 110 R.P.M. 13.3 KTS. due to tripped circuit breaker

J.H. DeJourne BM1

12-16 underway as before 1303 exercised at general drills set material condition yoke Through out the ship 1324 set material condition yoke Through out the ship 1343 secured from general drills. 1343 Commenced transfering ammunition from magazine to service ready box. 1403 Secured from transfering ammunition.

C.E. Mann BM1

16-20 UNDERWAY AS BEFORE.

J.E. Hartop
Ens USN

20-24. Underway as before.

J.E. Hartop Ens U.S.N.

APPROVED: C.C. Reed Lt U. S. N. COMMANDING

EXAMINED: A.L. Walker Lt JG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE THURSDAY (Day) 26 (Date) JULY (Month), 1962

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	13	5	OVC	30.03	75	73	9	700	CU	82	060	3
02	070	13	5	BKN	30.03	74	72	7	700	CU	82	065	3
03	070	16	6	BKN	30.04	74	72	7	700	CU	82	065	3
04	070	10	6	BKN	30.06	73	71	7	700	CU	82	050	3
05	065	12	7	BKN	30.06	73	71	7	700	SC	82	050	3
06	045	13	7	SCT	30.09	74	71	3	1050	SC	82	060	3
07	045	11	7	SCT	30.11	75	71	5	1400	SC	82	060	3
08	060	16	7	BKN	30.13	74	70	8	1400	CU/SC	83	045	4
09	060	18	7	BKN	30.14	74	70	7	1400	SC	80	050	4
10	070	16	7	BKN	30.14	74	70	6	1400	SC	79	055	4
11	055	15	7	SCT	30.14	75	70	5	1750	CI/CU	79	050	4
12	060	14	7	BKN	30.15	75	73	7	700	CI/CU	78	050	4
13	045	17	7	BKN	30.15	75	73	7	700	CU	78	055	4
14	050	14	7	BKN	30.16	76	74	7	700	CU	78	055	4
15	070	15	7	BKN	30.15	76	74	7	700	CU	78	050	4
16	065	16	7	BKN	30.15	74	73	7	700	CU	78	060	4
17	070	15	7	BKN	30.16	74	69	7	1750	CU	76	065	4
18	060	15	7	BKN	30.16	71	66	7	1750	CU	75	065	4
19	060	13	7	BKN	30.18	70	65	7	1750	CU	75	065	4
20	040	16	6	BKN	30.22	68	66	8	700	SC	75	065	4
21	040	16	4	OVC	30.22	68	65	10	1050	SC	75	065	4
22	045	15	4	BKN	30.24	68	66	8	700	SC	75	065	4
23	045	11	4	BKN	30.24	68	65	8	1050	SC	75	065	4
24	065	15	5	BKN	30.24	67	63	8	1400	SC	75	070	4

POSITION	ZONE	TIME
0800 L 34-39 N	BY	1
λ 165-40 W	BY	1
1200 L 35-15 N	BY	1
λ 166-09 W	BY	1
2000 L 36-47 N	BY	1
λ 166-55 W	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 7-26-62 (Date)
TO 1200 (ZT) 7-26-62 (Date)
SET 185
DRIFT 1

POSITION BETWEEN FIXES

MID. L 34-57
MID. λ 166-54

MILES STEAMED 0000-2400: 315

FUEL CONSUMED 0000-2400: 3251

REMARKS

00-04: UNDERWAY INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA IN ACCORDANCE WITH COMALSEAFRON CPORD 205-62. BASE COURSE 334°, BASE SPEED 13.3 KTS. MATERIAL CONDITION YOKE AND READINESS CONDITION THREE SET. NUMBERS 1, 2, AND 4 MAIN GENERATORS IN THE PROPULSION LOOP, NUMBER 1 AUXILLIARY GENERATOR PROVIDING SHIPS POWER AND EXITATION.

Johnson, QMS, USN

04-08 UNDERWAY AS BEFORE.

Leslie E Hartson
Ens USN.

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R. L. Wilder LT/G U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI -(ATF-96) Thursday (Day) 26 (Date) July (Month), 19 62

08-12 underway as before
0745 tested the ships whistle, siren, general, chemical and emergency steering alarms test satisfactory 0750 put #3 main generator in propulsion loop took #4 out
0800 mustered crew on stations absentees ~~none~~ CEN
C. E. Mann BM1

12-16 underway as before 1308 C/S A/S took no. three #3 main generator out of loop due to oil leak, placed no. four #4 main generator in loop C/S A/FLANK 110 R.P.M. 13.5 KTS. ~~1410 contact~~ JHO
JHO ~~on radar 27000 yds. brg. 337°T~~ 1410 sighted russian naval vessel SUCHAN on course 141 speed 12 KTS 1431 C/C 350 1443 C/C 354
JHO De Tonne BM1

16-20 Underway as before.
JHoffey CWO USN

20-24: UNDERWAY AS BEFORE.
[illegible] CWO USNR

~~20-24. Underway as before. JHO~~
~~JHoffey CWO U.S.N.~~ JHO

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: J. L. Walker LtJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +11 DATE FRIDAY (Day) 27 (Date) JULY (Month), 19 62

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	17	6	BKN	30.25	68	63	7	1750	SC	75	060	4
02	070	16	6	BKN	30.25	67	62	6	1750	SC	78	065	5
03	070	16	7	BKN	30.25	67	62	6	1750	SC	71	065	5
04	060	18	7	BKN	30.26	67	62	6	1750	SC	70	060	5
05	040	14	7	SCT	30.27	67	61	4	2100	SC	70	060	5
06	020	17	7	SCT	30.30	66	62	3	1400	AC	70	030	3
07	020	14	7	SCT	30.31	67	62	3	1400	AC	69	040	3
08	040	14	7	BKN	30.32	66	60	6	2100	AC	69	050	3
09	040	14	7	BKN	30.33	67	60	6	2450	AC	69	060	3
10	055	14	7	SCT	30.34	68	62	4	2100	CU	69	060	3
11	055	12	7	SCT	30.35	70	64	4	2100	CU	69	065	3
12	065	11	7	SCT	30.34	69	63	4	2100	CU	69	070	2
13	065	11	7	SCT	30.36	69	63	4	2100	CU	69	070	2
14	075	10	7	BKN	30.37	70	63	6	2450	CU	69	075	2
15	075	10	7	BKN	30.37	70	63	6	2450	CU	69	085	2
16	090	9	7	SCT	30.37	68	62	5	2100	CU	69	085	3
17	090	12	7	SCT	30.38	67	61	4	2100	CU	69	085	3
18	085	12	7	SCT	30.39	65	60	4	1750	CI/CU	69	085	3
19	100	10	7	SCT	30.39	64	60	4	1400	CI/CU	69	090	3
20	105	9	7	SCT	30.39	63	59	4	1400	CU	69	090	3
21	100	11	7	SCT	30.40	63	59	2	1400	CU	69	090	3
22	105	10	7	SCT	30.41	63	59	2	1400	CU	69	090	3
23	105	10	7	SCT	30.42	63	59	2	1400	SC	69	090	3
24	105	8	7	SCT	30.42	61	58	2	1050	SC	69	090	3

POSITION	ZONE	TIME
0800 L	39-03.5 N	BY 1
λ	168-19 W	BY 1
1200 L	39-53 N	BY 1
λ	168-53 W	BY 1
2000 L	41-34 N	BY 1
λ	169-48 W	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 7-26-62 (Date)
TO 0800 (ZT) 7-27-62 (Date)
SET 155
DRIFT .5

POSITION BETWEEN FIXES

MID. L 57-56 N
MID. λ 167.22 W

MILES STEAMED 0000-2400: 318.2

FUEL CONSUMED 0000-2400: 3198

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM PEARL HARBOR HAWAII TO ADAK ALASKA. IN ACCORDANCE WITH COM AL SEA FRON OPORD 205-62. BASE COURSE 334° BASE SPEED 13.3 KNTS. MATERIAL CONDITION YOKE AND READINESS CONDITION THREE SET. 1, 2 AND 3 MAIN GENERATORS IN PROPULSION LOOP. NUMBER 1 AUXILLIARY GENERATOR PROVIDING EXITATION AND SHIPS POWER.

L E Horton
Ens USN

04-08. Underway as before.

J C Hopley Cwo U.S.N.

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: [signature] LT/G U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 27 (Date) July (Month), 1962

08-12 0800 MUSTERED CREW ON STATIONS NO ABSENTEES
0801 NO. #2 + #3 S/S GENERATORS ON THE LINE EXT. ON NO. #3
[signature] BM1

12-16 underway as before NO (3) Three main generator back in commision 1334 secured NO(2) two main generator put NO(3) three main generator in the loop. 1520 NO(2) two main generator in commission.
C. E. Mann BM1

16-20: UNDERWAY AS BEFORE.
[signature], GNS, USNR

20-24 UNERWAY AS BEFORE.
Leslie E. Horton
Ens USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: J. L. Walker LtJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SATURDAY (Day) 28 (Date) JULY (Month), 1962

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	115	6	7	SCT	30.42	61	58	1	1050	SC	67	105	2
02	110	6	7	SCT	30.43	61	58	1	1050	SC	67	105	2
03	100	5	7	SCT	30.43	61	59	1	700	SC	67	100	2
04	120	5	7	SCT	30.42	60	58	2	700	SC	67	130	1
05	130	4	7	SCT	30.42	62	59	3	1050	AC	67	130	1
06	140	3	7	SCT	30.41	62	60	4	700	AC	67	150	1
07	155	3	7	BKN	30.42	63	61	6	700	CU	65	140	1
08	170	6	7	BKN	30.42	66	62	7	1400	CI/CU	65	155	1
09	180	7	7	BKN	30.42	64	61	7	1050	CI/CU	65	165	1
10	185	7	7	BKN	30.43	63	60	8	1050	CI/CU	65	165	1
11	190	7	7	BKN	30.41	63	60	8	1050	CU	64	165	1
12	195	9	7	OVC	30.40	65	62	9	1050	CU	63	180	1
13	230	6	7	OVC	30.39	65	62	9	1050	CU	63	180	1
14	200	6	7	OVC	30.38	65	62	10	1050	CU	63	180	1
15	205	10	7	OVC	30.38	65	61	10	1400	CU	63	180	1
16	218	10	7	SCT	30.36	65	61	5	1400	CI/CU	63	200	2
17	190	8	7	SCT	30.35	63	60	5	1050	CI/CU	63	200	2
18	195	9	7	OVC	30.33	61	59	10	700	SC	63	230	1
19	195	8	7	BKN	30.32	60	58	6	700	SC	63	230	1
20	205	13	6	OVC	30.31	59	57	9	700	SC	61	220	2
21	235	11	4	OVC	30.30	58	57	10	350	ST	61	220	2
22	210	15	1	F	30.27	57	56	10	350	ST	61	215	3
23	205	16	1	F	30.24	57	56	10	350	ST	61	210	3
24	205	14	½	F	30.20	57	56	10	350	ST	61	210	2

POSITION	ZONE	TIME
0800 L	43-59 N	BY 1
λ	171-17 W	BY 1
1200 L	44-23 N	BY 2
λ	171-37 W	BY 2
2000 L	45-59 N	BY 2
λ	172-37 W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 7-27-62 (Date)
TO 0800 (ZT) 7-28-62 (Date)
SET 135
DRIFT .6

POSITION BETWEEN FIXES

MID. L 42-43 N
MID. λ 170-52 W

MILES STEAMED 0000-2400: 317.7

FUEL CONSUMED 0000-2400: 24444

REMARKS

00-04 Underway Independently enroute from Pearl Harbor, Hawaii to Adak Alaska in accordance with COM AL SEAFRON Op Ord 205-62. Base Course 334° Speed 13.3 kts (110 RPM) Material Condition Yoke Set. and Readiness Condition Three set 1, 2 and 4 Main Generators on propulsion Loop. Number 1 Auxiliary Generator on ship power and illumination

J. R. Hoffey CWO4 USN

04-08: UNDERWAY AS BEFORE.

W. H. Swan, ENS, USNR

APPROVED: C C Read Lt U. S. N. COMMANDING

EXAMINED: R. L. Walker LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 28 (Date) July (Month), 1962

08-12 Mustered crew on stations absentees none 1000 went to general Quarters set material condition Vebra, 1012 maneuvering on various courses and various speed to bear on target 1012 Commenced gunney exercise 1119 Commenced firing to port 1136 Ceased firing 1143 Set material condition Yoke Secured from general Quarters. ammunition expended (9) NINE rounds 3'50 smokeless (flashless) powder cartridges with no casualties

C.E. Man BM1

12-16 UNDERWAY AS BEFORE

F.H. DeLorme BM1

16-20 underway as before

C.E. Man BM1

20-24. Underway as before. 2136. Visibility decreased to approximately 1 mile, Commenced Fog signals. 2137 C/S H/F 100 R.P.M. 12.3 kts. 2315. Visibility decreased to 1,000 yards.

J.H. Hoffey CWO U.S.N.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11 DATE SUNDAY (Day) 29 (Date) JULY (Month), 1962

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	205	14	1/2	F	30.19	57	56	10	350	ST	58	190	2
02	200	13	1/2	F	30.16	57	56	10	350	ST	58	190	2
03	200	10	1/2	F	30.14	57	56	10	350	ST	58	190	2
04	200	10	1/2	F	30.13	57	57	10	0	ST	58	190	2
05	210	11	1/2	F	30.10	57	57	10	0	ST	58	200	3
06	205	12	1/2	F	30.06	56	56	10	0	ST	58	200	3
07	203	13	1/2	F	30.06	55	55	10	0	ST	58	205	3
08	195	9	1/2	F	29.98	55	55	10	0	ST	56	205	2
09	200	9	1/2	F	29.90	55	55	10	0	ST	56	205	2
10	200	9	1/2	F	29.87	55	55	10	0	ST	56	210	2
11	205	10	1/2	F	29.83	55	55	10	0	ST	56	210	2
12	200	14	1/2	F	29.79	55	55	10	0	ST	55	205	2
13	200	12	1/2	F	29.76	54	54	10	0	ST	55	205	2
14	210	12	1/2	F	29.72	54	54	10	0	ST	55	210	2
15	225	14	1/2	F	29.70	54	54	10	0	ST	55	225	2
16	230	12	5	OK	29.70	55	54	10	350	ST	55	220	2
17	260	9	1/2	F	29.69	55	54	10	350	ST	55	200	2
18	290	9	1/2	F	29.65	54	54	10	0	ST	55	200	2
19	295	9	1/2	F	29.67	54	54	10	0	ST	55	200	2
20	265	12	1/2	F	29.69	52	52	10	0	ST	55	220	2
21	260	11	1/2	F	29.68	51	51	10	0	ST	55	220	3
22	255	11	1/2	F	29.66	50	50	10	0	ST	55	230	3
23	295	14	1/2	F	29.65	50	50	10	0	ST	55	270	3
24	255	18	1/2	F	29.66	50	50	10	0	ST	55	270	3

POSITION	ZONE	TIME
0800 L 48-14 N	BY	2
λ 174-00 W	BY	2
1200 L 48-49.6 N	BY	2
λ 174-26.5 W	BY	2
2000 L 50-11 N	BY	2
λ 175-44.6 W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 7-28-62 (Date)
TO 0500 (ZT) 7-29-62 (Date)
SET 265
DRIFT .4

POSITION BETWEEN FIXES

MID. L 46-32 N
MID. λ 173-17 W

MILES STEAMED 0000-2400: 301

FUEL CONSUMED 0000-2400: 1612

REMARKS

00-04: UNDERWAY INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA IN ACCORDANCE WITH COMALSEAFRON OPORD 205-62. BASE COURSE 334°, BASE SPEED 12.3 KTS. MATERIAL CONDITION YOKE AND READINESS CONDITION THREE SET. NUMBERS 1, 2, AND 4 MAIN GENERATORS IN THE PROPULSION LOOP; NUMBER 1 AUXILLIARY GENERATOR PROVIDING SHIP'S POWER AND EXCITATION.

[redacted], ENS, USNR

04-08 UNDERWAY AS BEFORE 0407 C/S #4 FLANK 110 RPM ~~0745~~ JCH

Leslie E Horton
Lt USN.

APPROVED:
C C Reed Lt U. S. N. COMMANDING

EXAMINED:
[redacted] Lt U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKE (ATF 96) Sunday (Day) 29 (Date) July (Month), 1962

08-12 UNDERWAY AS BEFORE 0800 C/C to 329 C/S to 90 R.P.M. 11.3 KTS. 0800 MUSTERED ON STATIONS NO ABSENTEES

F.A. DeJonne BM1

12-16 underway as before 1200 C/C to 326° C/S to 97 rpm, 12 KTS 1320 Commenced sounding fog signals. 1451 ceased fog signals 1516 Commenced sounding fog signals

C.E. Mann BM1

16-20 UNDER WAY AS BEFORE

F.A. DeJonne BM1

20-24 UNDERWAY AS BEFORE.

W. Swan, CNS, USNR

APPROVED:

C C Rod Lt U. S. N. COMMANDING

EXAMINED:

R. L. Walker LtJG USN U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ATTU (AT-96) ZONE DESCRIPTION +11 DATE MONDAY (Day) 30 (Date) JULY (Month), 19 62

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO ADAK, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	255	13	1/2	F	29.65	51	51	10	0	ST	55	270	2
02	275	13	1/2	F	29.64	51	51	10	0	ST	55	275	2
03	275	15	1/2	F	29.64	51	51	10	0	ST	55	275	2
04	270	15	1/2	F	29.63	50	50	10	0	ST	55	275	2
05	285	9	1/2	F	29.63	48	48	10	0	ST	54	280	2
06	245	7	1/2	OVC	29.64	46	45	10	350	ST	54	260	2
07	175	9	5	OVC	29.64	47	46	10	350	ST	54	190	2
08	240	11	5	OVC	29.63	47	46	10	350	ST	54	200	2
09	210	6	5	OVC	29.62	52	50	10	700	ST	53	300	1
10	240	14	5	BKN	29.62	53	50	7	1050	ST	53	300	1
11	245	13	5	OVC	29.62	53	50	10	1050	ST	53	260	1
12			ADVANCED ALL CLOCKS ONE (1) HOUR TO +10 W ZONE										
13	250	14	5	OVC	29.62	53	50	9	1050	ST			
14	250	14	5	OVC	29.62	52	50	10	700	ST			
15	250	12	5	OVC	29.61	52	49	10	1050	SC			
16	250	9	5	OVC	29.60	52	49	10	1050	SC			
17	250	1	5	OVC	29.60	56	53	10	1050	SC			
18	250	1	5	OVC	29.60	56	53	10	1050	SC			
19	250	1	5	OVC	29.59	54	52	10	700	SC			
20	250	1	5	OVC	29.54	54	52	10	700	SC			
21	170	1	2	OVC	29.50	52	50	10	700	SC			
22	150	1	2	OVC	29.50	52	51	10	350	SC			
23	150	1	2	OVC	29.49	51	50	10	350	SC			
24	035	1	2	OVC	29.49	51	49	10	350	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 121.5

FUEL CONSUMED 0000-2400: 428

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM PEARL HARBOR TO ADAK ALASKA IN ACCORDANCE WITH COMAIRSEAFRON OP-ORDER 205-62. BASE COURSE 325°T BASE SPEED 11.5 KNTS - 92 RPM. NUMBER 1, 2 + 4 MAIN GENERATORS IN THE LOOP. NO 1 5/3 GENERATOR ON ~~EXCITER~~ EXCITATION LCH CONDITION YOKE SET THROUGHOUT SHIP

Leslie E Hooper
Lieut - USN

04-08 Underway at Sea perf. 0433 Picked up land on Radar Brg 017°T Dist Approximately 12½ miles 0454 C/C 000° PCC 000.5°T B 357° PSTCC. 0508 Low Visibility approx 500 yds. 0514 C/C 018° PCC, 018.5°T, 016° PSTCC. 0612 C/S 110 RPM 13.3 kts, sighted land visually Brg 345°T Dist Appx 5 miles. 0724 date C/C 031° PCC, 025° PSTCC

J. A. Hoffey Cwo U.S.N.

APPROVED:
C C Reed Lt U. S. N. COMMANDING

EXAMINED:
A L Walker LCdr U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 30 (Date) July (Month), 19 62

08-12 Underway as before. 0800 Mustered Crew on station: Absentees None 0813 C/C 078° PCC 067 PSTCC. 0906 C/C 134° PCC 124° PSTCC. 0922 Commenced making preparations for entering Port. 0928 C/C 180°T. 0957 C/C 240°T. 1002 C/C 243°T. 1016 Set the Special Sea and anchor detail Captain and Navigator on the Bridge Ens Norton standby Comm. 1020 C/S 79 RPM. 1022 C/C 240°T. 1025 C/S 8 kts 62 RPM. C/C 256°T. 1028 C/C 260°T. 1031 C/S 38 RPM 5 kts 1032 Captain Conning. 1033 passed break water abeam to Stbd approx 150 yds. maneuvering on various courses at various speeds to come alongside of pier. 1040 Moored port side to pier 5 Adak, Alaska with four nylon mooring lines doubled up. 1051 Secured special sea and anchor detail set in-port watch. 1105 Advanced all clocks one hour to conform with +10 X-ray Time zone W

J.E. Hoffey, CWO U.S.N.

12-16. Moored as before. 1215 Made daily inspection of magazines and smoking power sampling Condition normal.

J.E. Hoffey CWO U.S.N.

16-20. Moored as before. 1740 Set the Special sea and anchor detail 1757 Underway Captain Conning Navigator on the bridge. Underway on verbal order from Port Control to go along side fuel pier. Maneuvering to clear pier. 1759 Maneuvering on various courses at various speeds to go along side of pier eight (8) Adak, Alaska. 1822 Moored port side to Fuel Pier with 4 standard mooring lines doubled up. 1829 Secured special sea and anchor detail, set in-port watch. 1830 Set material Condition "Yoke". 1835 Commenced taking on fuel Draft F/wd 14'9" aft 14'6" 1955 Set special sea and anchor detail.

J.E. Hoffey CWO USN.

20-24. Moored as before. 2002 Secured from taking on fuel Received on board 21,934 gal of diesel oil Draft F/wd 13'10" Aft 16'. 2014. Underway on verbal order from Port Control to go alongside pier three, Port side to. Captain Conning, Navigator on the bridge, maneuvering to clear pier. Maneuvering at various courses at various speed to shift berths. 2032 Moored Port side to pier 3 at U.S. Naval Station Adak, Alaska with four (4) nylon mooring lines doubled up. 2040 Secured special sea and anchor detail set set in-port watch. Moored 1 & 4 (4") Nylon doubled up 2 & 3 (2") Spring log doubled up Bow and Stern line (2") Spring log.

J.E. Hoffey CWO USN.

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: J. L. Walker LtJG U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Tuesday (Day) 31 (Date) July (Month), 1962

AT/~~PASSAGE FROM~~ ADAK, Alaska TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	035	4	2	OVC	29.44	51	49	10	700	SC			
02	035	4	2	OVC	29.45	51	49	10	700	SC			
03	035	5	2	OVC	29.42	51	49	10	700	SC			
04	040	4	2	OVC	29.37	51	49	10	350	ST			
05	040	4	2	RW	29.34	50	49	10	350	ST			
06	040	4	2	OVC	29.31	50	49	10	300	ST			
07	040	2	3	OVC	29.25	50	49	10	300	ST			
08	035	7	2	RW	29.22	48	48	10	350	ST			
09	035	10	1	R	29.16	49	48	10	350	ST			
10	035	10	1	R	29.14	49	48	10	350	ST			
11	035	10	1	L	29.10	51	50	10	350	ST			
12	005	5	1	L	29.02	51	50	10	350	ST			
13	005	4	1	L	29.01	51	50	10	350	ST			
14	175	3	1	L	28.98	52	54	10	700	ST			
15	335	2	1	L	28.97	53	55	10	700	ST			
16	335	2	1	L	28.97	60	56	10	700	ST			
17	335	2	1	L	28.92	61	59	10	700	ST			
18	194	2	1	L	28.91	56	54	10	700	ST			
19	194	2	1	L	28.89	55	54	10	700	ST			
20	194	2	1	L	28.87	55	56	10	700	ST			
21	194	3	1	L	28.86	55	53	10	700	ST			
22	194	4	1	L	28.85	54	52	10	700	ST			
23	200	4	1	L	28.88	52	50	10	700	ST			
24	200	3	1	L	28.94	50	48	10	700	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
319

REMARKS

00-04. Moored Port side to Berth three (3) U.S. Naval Station Adak, Alaska with Spring lag doubled on 2 & 3, 1 & 4 nylon, one bow and stern line of 2 inch spring lag. Receiving fresh water and telephone service from pier. Ships present include various ship and units of the U.S. Pacific Fleet and district Corpt. Material Condition Yoke set. S.O.P.A. Commanding Officer U.S.S. Aerolus (ARC-3)

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered Crew on station; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LAG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 31 (Date) July (Month), 1962

08-12 Moored as before 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

A. L. Walker
LtJG USN

12-16 Moored as before

A. L. Walker
LtJG USN

16-20 Moored as before 1800 Set material Condition Yoke 1818 While a trash can to be emptied McNeer, R.B. Jr. 585-52-09, SA, USN fell on a wet deck and bruised his left elbow; not due to his own misconduct. Treatment administered by the Medical Representative. Disposition: Taken to U.S. Naval ~~Hosp~~ Hospital Adak Alaska for x-rays and further treatment, returned to ship and placed on light duty.

A. L. Walker
LtJG USN

20-24 Moored as before

A. L. Walker
LtJG USN

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: A. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112